

**Exam : IBM 000-268**

**Title : rpg iv with ile**

**Version : Demo**

## Important Note, Please Read Carefully

### Other VisualExams products

[All visual exams IT Exam Products](#)

### Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[visual exams Testing Engine](#)

### Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at VisualExams and update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to <http://www.visual exams.com/>
2. Log in the **User Center**
3. The latest versions of all purchased products are downloadable from here. Just click the links.

### Feedback

If you spot a possible improvement then please let us know. We always interested in improving product quality.

Feedback should be send to [Visual exams@hotmail.com](mailto:Visual exams@hotmail.com). You should include the following: Exam number, version, page number, question number, and your login Account.

Our experts will answer your mail promptly.

### Explanations

This product does not include explanations at the moment. If you are interested in providing explanations for this exam, please contact [Visual exams@hotmail.com](mailto:Visual exams@hotmail.com).

### Features

- Comprehensive questions with complete details
- Instant Downloadable in PDF form.
- Verified Answers Researched by Industry Experts
- Questions accompanied by exhibits.
- Drag and Drop questions as experienced in the Actual Exams.
- These questions and answers are backed by our GUARANTEE.
- Questions updated on regular basis.
- Like actual certification exams our product is in multiple-choice questions (MCQs)

**Commitment to Your Success: At VisualTestExam.com, we are committed to you ongoing success. Our exams and questions are constantly being updated and compared to industry standards.**

Want to earn a Microsoft certification like MCSE, MCSE 2003, CCNA, CCNP? Thinking about getting an A+ or CCSP?

A, CCSP or Network+ Certification with less effort and time. You will be astonished at the theoretical and practical knowledge you will acquire in such a short period of time using our Certification Training Products. Our Study material will enable you to pass your Microsoft, Your Cisco and any other certification on the very first attempt.

## **Guarantee**

Visualexams provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if somehow you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

1. Review the following sample subfile:

```

+-----+
| Option  Data    |
|-----|
|  ||    Record 1 |
|  ||    Record 2 |
| |X|    Record 3 |
|  ||    Record 4 |
+-----+

```

The SFLNXTCHG keyword was inactive when Record 1 was written and active when each subsequent subfile record was written. The operator has entered the "X" in the option field for Record 3. Which subfile record will be read when the next READC operation is performed on the subfile?

- A. 1
- B. 2
- C. 3
- D. 4

**Answer: B**

2. Given the following code segment:

```
AAN01N02 N03T.Name+++++RLen++TDpBlinPosFunctions+++++
```

```

A      R D1SF                SFL
A      OPTNBR                1A B 10 3
A      SCNDDTA               50A O 10 7
A      R D1SC                SFLCTL(D1SF)
A 79                          SFLDSP
A 81                          SFLDSPCTL
A                              SFLSIZ(1000)
A                              SFLPAG(0011)
A                              9 2'Opt Data

```

What DDS keyword needs to be added to this code segment to remove all of the records from the subfile?

- A. SFLCLR
- B. SFLDLT
- C. SFLRMV
- D. SFLINZ

**Answer: A**

3. Given the following code segment:

```
0001.00    D DateField      S          D  DATFMT(*ISO)
0002.00    D CharField      S          6A  INZ('040696')
0003.00    C    *MDY          MOVE      CharField  DateField
```

This code will not compile. Which of the following changes will allow a successful compile?

- A. Change line 0001.00 to: D DateField        S                    D DATFMT(\*MDY)
- B. Change line 0003.00 to: C        \*MDY0            MOVE       CharField    DateField
- C. Change line 0003.00 to: C        \*MDY            MOVE(D)   CharField    DateField
- D. Change line 0003.00 to: C        \*ISO            MOVE       CharField    DateField

**Answer: B**

4. Given the following code segment:

```
CLON01Factor1+++++++Opcode(E)+Factor2+++++++Result+++++++Len+++D+HiLoEq
C    CODE          CASEQ    1          SRONE
C    CODE          CASEQ    2          SRTWO
C          CAS          SRTHREE
C          END
```

Which of the following code segments will perform the equivalent function?

- A. /FREE    Select CODE; WHEN = 1; ExSr SRONE; WHEN = 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSl; /END-FREE
- B. /FREE    Select; WHEN CODE = 1; ExSr SRONE; WHEN CODE = 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSl; /END-FREE
- C. /FREE    Select CODE; 1; ExSr SRONE; 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSl; /END-FREE
- D. /FREE    Select WHEN CODE; Other; ExSr SRTHREE; EndSl; /END-FREE
- E. /FREE    Select WHEN CODE; 1; EndSl; /END-FREE
- F. /FREE    Select WHEN CODE; 1; ExSr SRONE; /END-FREE
- G. /FREE    Select WHEN CODE; 1; ExSr SRONE; 2;
- H. /FREE    Select WHEN CODE; 1; ExSr SRONE; 2; ExSr SRTWO;
- I. /FREE    Select WHEN CODE; 1; ExSr SRONE; 2; ExSr SRTWO; Other; Select WHEN CODE; 1; ExSr SRONE; 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSl; 1; ExSr SRONE; 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSl; /END-FREE ExSr SRONE; 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSl; /END-FREE 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSl; /END-FREE

**Answer: B**

5. In the following code sample, file CUSSALES contains a record format CUSSALESR, with unique key fields CCONO, CSCSNO and CSYEAR.

```
fcussales if e k disk
d keycus e ds extname(cussales:*key)

/free

cscono = 3; // company
cscsno = 100; // customer
csyear = 2003; // year

setgt %kds(keycus) cussalesr;
reade %kds(keycus: 2) cussalesr;

/end-free
```

Assuming the READE operation is successful, which record is retrieved?

- A. The first record with a company greater than 3
- B. The first record for company 3, with a customer greater than 100
- C. The first record for company 3, customer 100
- D. The first record for company 3, customer 100 with a year greater than 2003

**Answer: D**

6. Given the following expression:

SoldAmt + Dividends

TotalReturnPct = ( ----- - 1 ) \* 100

PaidAmt + Commissions

Which /free form expression below is correct?

- A. /free TotalReturnPct = ((SoldAmt + Dividends) / (PaidAmt + Commissions) - 1) \* 100; /end-free
- B. /free TotalReturnPct = (SoldAmt + Dividends) / (PaidAmt + Commissions) - 1 \* 100; /end-free
- C. /free TotalReturnPct = (SoldAmt + Dividends / PaidAmt + Commissions - 1) \* 100; /end-free
- D. /free TotalReturnPct = ((SoldAmt + Dividends) / PaidAmt + Commissions - 1) \* 100; /end-free

**Answer: A**

7. Given the following code segment:

```
d CusInfo ds dim(10) qualified
d CusNum 5 0
d AmtDue 7 2
d OrdYTD 7 2
d OrdPrv 7 2
```

How would the AmtDue subfield for the 5th element of the CusInfo array be referenced?

- A. AmtDue(5)
- B. CusInfo(5).AmtDue
- C. CusInfo.AmtDue(5)
- D. CusInfo(5).AmtDue(5)

**Answer: B**

8. Given the following code segment:

```

DName+++++ETDsFrom+++To/L+++IDC.Keywords+++++
D ObjNameDS      DS      qualified
D Lib            10      Inz('*libl')
D Name           10      Inz('OBJA')

D PgmNameDS      DS      LikeDS(ObjNameDS) Inz(*LIKEDS)
D Result         S       20

/Free
  ObjNameDS.Lib = 'QGPL';
  PgmNameDS.Name = 'PGMA';
  Result = PgmNameDS;
/End-Free

```

After this code runs, what is the value of Result?

- A. ' OBJA '
- B. '\*libl PGMA '
- C. 'QGPL OBJA '
- D. 'QGPL PGMA '

**Answer: B**

9. Procedure PROC1 in a Service Program must be called passing to it a 5 position field. Which of the following code segments will accomplish this task?

- A. D AField S 5A C CallPrc 'PROC1' C  
Parm AField
- B. D AField S 5A C Call 'PROC1' C  
Parm AField
- C. D Proc1 PR D MyField 5A D AField S  
5A C CallP Proc1(AField)
- D. D Proc1 PR ExtPgm('PROC1') D MyField 5A  
D AField S 5A C CallP Proc1(MyField)

**Answer: C**

10. Given the following field definitions, if field mmddy contains a date in MDY format, what is the correct syntax to populate DateFld with the content of mmddy?

- D mmddy S 6A
- D DateFld S D Inz(D'2003-06-27') DatFmt(\*ISO)
- A. DateFld = %Date(mmddy: \*MDY);
- B. DateFld = %Date(mmddy: \*MDY0);
- C. DateFld = %Date(mmddy: \*ISO);
- D. DateFld = %Date(mmddy: \*ISO0);

**Answer: B**

11. Given the following DDS for Physical file CATFILE:

```
A          R CATREC
A          CATCOD          5S 0
A          CATDES          20A
```

And the following code for Pgm1:

```
FCatFile  UF  A E          K DISK
D CategoryRec  E DS          ExtName(CatFile)
C          Read(E)  Emp
```

And the following code for Pgm2:

```
FCatFile  UF  A E          K DISK
C          Read(E)  Emp
```

What are the attributes of the CatCod field in both programs?

- A. Packed Decimal 5,0 in both programs
- B. Signed Numeric 5,0 in both programs
- C. Packed Decimal 5,0 in Pgm1; Signed Numeric 5,0 in Pgm2
- D. Signed Numeric 5,0 in Pgm1; Packed Decimal 5,0 in Pgm2

**Answer: D**

12. A program needs to concatenate the 3 numeric fields shown below such that Phone# contains a string in the format aaabbbcccc, where aaa is the AreaCode field, bbb is the PhPrefix field and cccc is the PhNbr field. All positions of Phone# must be filled with digits.

```
D AreaCode      S          3 0
D PhPrefix      S          3 0
D PhNbr         S          4 0
D Phone#        S         10A
```

Which of the following code segments would correctly accomplish this task in all circumstances?

- A. EVAL Phone# = %Char(AreaCode) + %Char(PhPrefix) + %Char(PhNbr)
- B. EVAL Phone# = %EditW(AreaCode: '0') + %EditW(PhPrefix: '0') + %EditW(PhNbr: '0')
- C. EVAL Phone# = %EditC(AreaCode: 'X') + %EditC(PhPrefix: 'X') + %EditC(PhNbr: 'X')
- D. EVAL Phone# = %Char(AreaCode: '0') + %Char(PhPrefix: '0') + %Char(PhNbr: '0')

**Answer: C**

13. Given the following code segment:

```
DName+++++++ETDsFrom+++To/L+++IDc.Keywords+++++++
D GetBalDue      PR
D  Balance          11P 2
```



**Answer: D**

16. Which of the following code segments show a valid comment within free format calculations?

- A. /Free \* this is a free form comment /End-Free
- B. /Free /\* this is a free form comment \*/ /End-Free
- C. /Free // this is a free form comment /End-Free
- D. /Free / this is a free form comment /End-Free

**Answer: C**

17. Given the following file definitions for a physical file and a logical file:

AAN01N02N03T.Name+++++RLen++TDpBLinPosFunctions

A REF(FLDREF)

A R EMPREC

A EMPNO R

A ENAME R

A DEPT R

A SALARY R

AAN01N02N03T.Name+++++RLen++TDpBLinPosFunctions

A R EMPRECL PFILE(EMPMST)

A EMPNO

A DEPT

A SALARY

A K DEPT

A K EMPNO

Which fields are accessible through the logical file and in what sequence will records be presented to the application program?

- A. Fields accessible: EMPNO, ENAME, DEPT, SALARY Sequence: EMPNO within DEPT
- B. Fields accessible: EMPNO, ENAME, DEPT, SALARY Sequence: DEPT within EMPNO
- C. Fields accessible: EMPNO, DEPT, SALARY Sequence: EMPNO within DEPT
- D. Fields accessible: EMPNO, DEPT, SALARY Sequence: DEPT within EMPNO

**Answer: C**

18. A field is added to the end of the record format of an existing file and the file compiled with LVLCHK(\*NO). What is the impact of this action on an existing RPG program which uses this file as an externally defined file?

- A. Until the RPG program is recompiled, it will halt with a format level check error.
- B. The program will run using only the fields that existed when the program was compiled.
- C. The program will run using all of the fields in the file including the new fields.

D. Until the RPG program is recompiled, it will run but will issue a warning message whenever a record is written or updated.

**Answer: B**

19. Which of the following code segments shows the correct use of the externally described printer file PRT1 containing record format FMT1?

- A. FFilename++IPEASFRlen+LKlen+AIDevice+.Keywords FPRT1 O E PRINTER  
CL0N01Factor1+++++++Opcode(E)+Factor2+++++++Result C WRITE FMT1
- B. FFilename++IPEASFRlen+LKlen+AIDevice+.Keywords FPRT1 O E PRINTER  
CL0N01Factor1+++++++Opcode(E)+Factor2+++++++Result C EXCEPT FMT1
- C. FFilename++IPEASFRlen+LKlen+AIDevice+.Keywords FPRT1 O E  
PRINTER OFLIND(\*IN88) CL0N01Factor1+++++++Opcode(E)+Factor2+++++++Result C  
EXCEPT FMT1 OName+++++++DF..N01N02N03Excnam++++B++A++Sb+Sa+ OPRT1 E  
FMT1 2 6
- D. FFilename++IPEASFRlen+LKlen+AIDevice+.Keywords FPRT1 O E  
PRINTER OFLIND(\*IN88) CL0N01Factor1+++++++Opcode(E)+Factor2+++++++Result C  
WRITE FMT1 OName+++++++DF..N01N02N03Excnam++++B++A++Sb+Sa+ OPRT1 T  
FMT1 2 6

**Answer: A**

20. Given the following code segment:

DName+++++++ETDsFrom+++To/L+++IDc.Keywords+++++++

D Arra s 3s 0 DIM(10)

D Index s 2s 0 Inz(0)

/FREE

For Index = 1 to %Elem(Arra);

Arra(Index) = 2 \* Index;

EndFor; /END-FREE

What is the value of field Index after the code is run?

- A. 0
- B. 22
- C. 10
- D. 11

**Answer: D**

Visualexams.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially Adobe, Apple, Citrix, Comptia, EMC, HP, HuaWei, LPI, Nortel, Oracle, SUN, Vmware and so on. And help you pass any IT Certification exams at the first try.

Web site: <http://www.visualexams.com>

You can reach us at any of the email addresses listed below.

E-Mail: [visualexams \(at\) hotmail.Com](mailto:visualexams@hotmail.com)