

Exam : IBM 000-316

**Title : IBM WebSphere Integration
Developer V6.1**

Version : Demo

Important Note, Please Read Carefully

Other VisualExams products

[All visual exams IT Exam Products](#)

Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[visual exams Testing Engine](#)

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at VisualExams and update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to <http://www.visual exams.com/>
2. Log in the **User Center**
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you spot a possible improvement then please let us know. We always interested in improving product quality.

Feedback should be send to Visual exams@hotmail.com. You should include the following: Exam number, version, page number, question number, and your login Account.

Our experts will answer your mail promptly.

Explanations

This product does not include explanations at the moment. If you are interested in providing explanations for this exam, please contact Visual exams@hotmail.com.

Features

- Comprehensive questions with complete details
- Instant Downloadable in PDF form.
- Verified Answers Researched by Industry Experts
- Questions accompanied by exhibits.
- Drag and Drop questions as experienced in the Actual Exams.
- These questions and answers are backed by our GUARANTEE.
- Questions updated on regular basis.
- Like actual certification exams our product is in multiple-choice questions (MCQs)

Commitment to Your Success: At VisualTestExam.com, we are committed to you ongoing success. Our exams and questions are constantly being updated and compared to industry standards.

Want to earn a Microsoft certification like MCSE, MCSE 2003, CCNA, CCNP? Thinking about getting an A+ or CCSP?

A, CCSP or Network+ Certification with less effort and time. You will be astonished at the theoretical and practical knowledge you will acquire in such a short period of time using our Certification Training Products. Our Study material will enable you to pass your Microsoft, Your Cisco and any other certification on the very first attempt.

Guarantee


Visualexams provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if somehow you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

1. After some initialization, a long running business process needs further input from the client. The process should only wait for a certain period of time. If that time has passed without further user input, default processing should start. Which BPEL construct can most effectively handle this situation?

- A. Receive choice with a timeout element
- B. Receive activity with a parallel wait activity
- C. Receive choice with a subsequent wait activity
- D. Receive activity with expiration properties defined

Answer: A

2. Given the selector in the Exhibit, which statement is true regarding the selector and its configuration?



Scheduled Component		
Start Date	End Date	Component
May 1, 2008 9:43 AM	Apr 30, 2008 9:42 AM	Component1
Jun 1, 2008 10:16 AM	Jun 1, 2008 10:15 AM	Component2
Jun 30, 2008 10:17 AM	Jun 30, 2008 10:16 AM	Component3
	Jul 31, 2008 12:00 AM	Component3

- A. The selector configuration is incorrect because Component4 is not referenced.
- B. The selector configuration is correct and Component1 will be invoked on April 27, 2008.
- C. The selector configuration is incorrect because Component3 is used incorrectly in the component schedule.
- D. The selector configuration is correct and Component1, Component2, Component3, and Component4 must all have the same interface.

Answer: B

3. An integration developer needs to access an HTTP SOAP header in a mediation flow. How should an XPath expression begin so it can access the HTTP SOAP header?

- A. /headers/SOAPHeader
- B. /SMOHeader/SOAPHeader
- C. /headers/Envelope/Header
- D. /SMOHeader/Envelope/Header

Answer: A

4. A business rule applies a graduated discount rate based on an input customer's total purchases over the past year. How should the business rule be implemented?

- A. As a rule set
- B. As a rule group
- C. As a decision table
- D. As a business rule bean

Answer: A

5. In a mediation flow, the call out Response node's fail terminal is not wired and an unmodeled fault is received. What is the expected behavior of the mediation flow?

- A. A mediation runtime exception will occur.
- B. A mediation business exception will occur.
- C. A mediation configuration exception will occur.
- D. Since the fail terminal is not wired, the mediation flow stops execution without raising any exception.

Answer: A

6. Why would an integration developer select the "Requires Own" option on a BPEL activity?

- A. To force a retry of the current activity in case of an error
- B. To force a retry of the previous activities in case of an error
- C. To prevent a retry of the current activity in case of an error
- D. To prevent a retry of the previous activities in case of an error

Answer: D

7. An insurance company is building a state machine for accident claims processing. Before a claim can be paid, an accident investigator must sign off on any filed claims. If an investigator rejects a claim, the claim should be returned to the agent that filed the claim for further processing. Which statements describe an approach that should be considered?

- A. Create states called Claim and Investigate. Transition from Investigate to Claim when a claim is rejected.
- B. Create states called Claim, Investigate, and Reclaim. Transition from Investigate to Reclaim when a claim is rejected.

C. Create states called Claim and Investigate. Transition from Investigate to Terminate when a claim is rejected. Restart the state machine on a rejection and return to Claim.

D. Create a state called Process. Transition to a human task called Investigate for the investigator. Transition from the human task to Final state. Restart the state machine on a rejection and return to Process.

Answer: A

8. In which situation is a failed event generated in case of a runtime exception in the called component?

A. A business process calls a one way service asynchronously.

B. A business process calls a request/response service asynchronously.

C. A one-way business process is initiated by the Business Flow Manager API client.

D. A request/response business process is initiated by the Business Flow Manager API client.

Answer: A

9. An integration developer wants to restrict who can start a business process when using the BusinessFlowManager API to start the process. What is one way this can be accomplished?

A. Restrict the role BPEAPIUser on the ProcessContainer application to the designated group.

B. Add a human task assigned to the designated group of potential starters on the Administration tab of the processes properties.

C. Add a human task assigned to the designated group of potential starters on the Authorization tab of the respective receive activity.

D. Put a standalone invocation task assigned to the designated group of potential starters in front of the process in the assembly editor.

Answer: C

10. Which two conditions must be met in a cyclic flow within a business process?

A. There must be at least one cycle.

B. Only one activity is executed at a time.

C. Activities with more than one incoming link must have a join condition.

D. There must be exactly one start activity (that is one activity directly enclosed in the cyclic flow with no

incoming link.)


Answer: BD

11. Why would an integration developer uncheck the "Enable persistence and queries of business relevant data" flag on a BPEL activity in a long-running business process?

- A. To prevent emission of CEI events
- B. To prevent emission of audit log events
- C. To improve performance by avoiding activity related data to be persisted to the database
- D. To prevent monitoring of activity related business data with the BPC Observer application

Answer: C


12. The process shown in the Exhibit returns the value of a global variable "number" to the client. The variable is initialized by an assign activity with 0. Snippet1 and Snippet2 each increase the value of "number" by 1. Snippet3 in the event handler increases "number" by 10. Each wait activity waits for 30 seconds. During execution of the first wait activity an event is sent to the processes' event handler. Which type of result can the client expect?



- A. An exception is thrown back to the client.
- B. The message is ignored. The process returns 2.
- C. The message is stored and processed as soon as the event handler's scope is started. The process returns 12.
- D. The process hangs with a deadlock as the message is processed immediately and blocks the variable "number" until the scope of the event handler is started. This variable "number" is required by Snippet1 for write access.

Answer: C

13. How does the business process in the Exhibit behave?



- A. The process finishes successfully.
- B. The process hangs after the evaluation of the first case condition and cannot complete.
- C. The process is invalid because the choice activity does not have an otherwise condition and cannot be deployed.
- D. During process execution an exception is thrown after the invoke activity because the otherwise clause

is missing.


Answer: A

14. Which statement is always true about generating predefined events from monitorable component elements?

- A. They are stored in the Event database.
- B. They are Web Service requests via SOAP/HTTP.
- C. They are consumed by WebSphere Business Monitor.
- D. They are based on the Common Base Event specification.

Answer: D

15. What can be determined about the interface operations in the Exhibit?



- A. The two services are using identical interfaces.
- B. A Move map operation must be performed on the input and output business objects.
- C. The source and target interface operations have identical input and output parameters.
- D. The source and the target interface operations have incompatible input and output business object types.

Answer: D

16. The Exhibit shows the Interfaces used in a mediation flow. A mediation flow checks driving records of

job applicants by calling various state-level Motor Vehicle services. All services use the same interface (MotorVehicleInterface). The addressState attribute determines which state service will be called. The mediation interface (MediationInterface) does not always contain addressState, but the addressZipCode attribute is mandatory and can be used to determine the state. It is desired to track how many times each of the various state services are called.

Which mediation flow is best suited to accomplish this task?

The screenshot shows two configuration windows in SAP Mediation Studio:

- MediationInterface:**
 - Operation: mediate
 - Input(s): driverIn (Type: DriverMediationInputBO)
 - Output(s): accidents (Type: int), citations (Type: int)
- MotorVehicleInterface:**
 - Operation: checkDrivingRecord
 - Input(s): socialSecurityNumber (Type: string)
 - Output(s): citations (Type: int), accidents (Type: int)

On the right, the **Business object** window shows the structure of DriverMediationInputBO:

Field Name	Type
socialSecurityNumber	string
addressZipCode	string
addressState	string

- A. Filter > (terminal1)Logger > Callout
> (terminal2)XSLT > Logger > Callout
- B. Filter > (terminal1)Logger > Callout
> (terminal2)DBLookup > Logger > Callout
- C. Logger > Filter > (terminal1)Callout
> (terminal2)XSLT > Callout
- D. Logger > Filter > (terminal1)Callout
> (terminal2)DBLookup > Callout

Answer: B

17. Why would an integration developer use Java snippets in a business process?

- A. A developer would use Java snippets for general tasks. A Java snippet's implementation is fixed and cannot be viewed or modified by the user.

- B. A developer would use Java snippets to create a snippet that captures a specific behavior. A Java snippet can then be used within other snippets.
- C. A developer would use Java snippets to call an arbitrary Java method directly. A Java snippet can also be used to invoke constructors and access fields.
- D. A developer would use Java snippets to link and unlink tasks within a business process diagram. A Java snippet can be called at both development or runtime.

Answer: C

18. A developer needs to interact with third-party messaging middleware. Which binding should be used?

- A. JMS
- B. MQ JMS
- C. Generic JMS
- D. Web service - SOAP over JMS

Answer: C

19. An integration developer is building a composite application that will access an Enterprise Information System (EIS). The EIS can be accessed via either a Web Service or a JCA adapter. Under which two conditions should the developer choose to implement a JCA adapter rather than a Web Service?

- A. The EIS import needs to be part of an end-to-end J2EE security model.
- B. The developer needs to programmatically access the associated data binding.
- C. The developer wants to utilize an existing WebSphere MQ infrastructure for assured message delivery.
- D. The EIS does not support transactions but composite application requires assured delivery on all calls to the EIS.
- E. The composite application requires that multiple endpoints are available to the EIS for load balancing and failover purposes.

Answer: AD

20. An infrastructure monitoring application fires asynchronous JMS alert messages when problems are detected. An application developer has created a JMS export and is writing a short-running business process to take action on the alerts. If alerts are processed out of sequence, problem determination will be

flawed. Which action should be taken by the integration developer?

- A. Insure that the business process is set to long-running.
- B. From the Admin console, set the WebSphere Process Server default thread pool size to 1.
- C. From the Admin console, modify the export's activation spec to set maximum concurrency to 1.
- D. On the export binding, set the Message Configuration's Asynchronous reliability to "assured".

Answer: C

Visualexams.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially Adobe, Apple, Citrix, Comptia, EMC, HP, HuaWei, LPI, Nortel, Oracle, SUN, Vmware and so on. And help you pass any IT Certification exams at the first try.

Web site: <http://www.visualexams.com>

You can reach us at any of the email addresses listed below.

E-Mail: [visualexams \(at\) hotmail.Com](mailto:visualexams@hotmail.com)