

Exam : IBM 000-543

**Title : DB2 9.7 Application
Development**

Version : Demo

Important Note, Please Read Carefully

Other VisualExams products

[All visualexams IT Exam Products](#)

Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[visualexams Testing Engine](#)

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at VisualExams and update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to <http://www.visualexams.com/>
2. Log in the **User Center**
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you spot a possible improvement then please let us know. We always interested in improving product quality.

Feedback should be send to visualexams@hotmail.com. You should include the following: Exam number, version, page number, question number, and your login Account.

Our experts will answer your mail promptly.

Explanations

This product does not include explanations at the moment. If you are interested in providing explanations for this exam, please contact visualexams@hotmail.com.

Features

- Comprehensive questions with complete details
- Instant Downloadable in PDF form.
- Verified Answers Researched by Industry Experts
- Questions accompanied by exhibits.
- Drag and Drop questions as experienced in the Actual Exams.
- These questions and answers are backed by our GUARANTEE.
- Questions updated on regular basis.
- Like actual certification exams our product is in multiple-choice questions (MCQs)

Want to earn a Microsoft certification like [MCSE](#), [MCSE 2003](#), [CCNA](#), [CCNP](#)? Thinking about getting an [A+](#) or [CCSP](#)?

A, [CCSP](#) or [Network+](#) Certification with less effort and time. You will be astonished at the theoretical and practical knowledge you will acquire in such a short period of time using our Certification Training Products. Our Study material will enable you to pass your [Microsoft](#), Your [Cisco](#) and any other certification on the very first attempt.

Guarantee

Visualexams provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

1. Which condition will prevent a developer from using the DB2 Call Level Interface in an application?
- A. The developer must control the cursor names to comply with company naming standards.
 - B. An SQL precompiler is not available to the developer.
 - C. The application must create an external scalar function with the CREATE FUNCTION statement.
 - D. The DECLARE CURSOR statement needs to be used.

Answer: D

2. The statement below was used to create a cursor named CSR1:

```
DECLARE csr1 DYNAMIC SCROLL CURSOR FOR  
SELECT * FROM employee;
```

After fetching all of the rows in the result set associated with cursor CSR1, which two statements can be used to fetch the data starting at the end of the result set? (Choose two.)

- A. FETCH LAST
- B. FETCH PRIOR
- C. FETCH RELATIVE
- D. FETCH OFFSET

Answer: BC

3. Click the Exhibit button.

```
CREATE TABLE store(sid INTEGER, info XML);
```

```
INSERT INTO store VALUES (1,
```

```
'<storeinfo sid="1">
```

```
  <name>Grocery A</name>
```

```
  <items>
```

```
    <fruit><name>Mango</name><price>1.20</price></fruit>
```

```
    <fruit><name>Apple</name><price>0.50</price></fruit>
```

```
    <dessert><name>Ice Cream</name><price>6.00</price></dessert>
```

```
  </items>
```

```
</storeinfo>');
```

Given the statements shown in the exhibit, a user executes the query shown below:

```
XQUERY for $store in db2-fn:xmlcolumn('STORE.INFO')/storeinfo
```

```
let $items := $store/items/fruit, $count := fn:count($items)
```

```
return <itemcount>$count</itemcount>
```

What is the output?

- A. 2
- B. <itemcount>2</itemcount>
- C. <itemcount>1</itemcount>
- D. <itemcount>\$count</itemcount>

Answer: D

4. You have created a stored procedure (MULTIRESULTS()) on the server which will return multiple result sets. While developing a PHP application using the IBM_DB2 extension, you want to call the stored procedure. The code shown below will execute the stored procedure:

```
$stmt = db2_exec($conn, 'CALL multiResults()');
```

How can you fetch all of the result sets from \$stmt?

- A. Call db2_fetch_object(\$stmt) for the first result set; call db2_next_result(\$stmt) for more result sets.
- B. Call db2_next_result(\$stmt) for each result set.
- C. Call db2_fetch_object(\$stmt) for each result set.
- D. Call db2_next_result(\$stmt) for each result set; call db2_fetch_object(\$stmt) for each row in the result set.

Answer: A

5. An existing table has the definition shown below:

```
CREATE TABLE hr.employees (  
empid INTEGER NOT NULL PRIMARY KEY,  
deptno INTEGER,  
authid VARCHAR(255),  
salary DECIMAL (10,2),  
commission DECIMAL (5,3) DEFAULT 0,
```

benefits XML)

Only members of the HR_ADMIN group have privilege to SELECT, INSERT, UPDATE, or DELETE from the HR.EMPLOYEES table. A Web-based application is under development that connects to the database with a user's AUTHID and enables a user to see their record. No other records are visible.

Which type of database object can be created by a member of the HR_ADMIN that provides the necessary information without changing the privileges on the HR.EMPLOYEES table?

- A. trigger
- B. view
- C. alias
- D. index

Answer: B

6. The table shown below contains a large number of financial transactions:

```
CREATE TABLE webstore.transactions (  
transaction_id INTEGER NOT NULL PRIMARY KEY,  
order_date TIMESTAMP NOT NULL,  
shipped_date TIMESTAMP,  
customer_id INTEGER NOT NULL,  
shipping_info XML NOT NULL,  
billing_info XML NOT NULL,  
invoice XML NOT NULL )
```

Only members of the AUDIT_TEAM group have SELECT privilege on the WEBSTORE.TRANSACTIONS table. For appropriate supply-chain management, members of the INVENTORY_CONTROL group need to see the INVOICE document for each transaction that has a NULL SHIPPED_DATE, but are restricted from seeing any shipping or billing information.

Which database object can a member of the AUDIT_TEAM group create to enable the INVENTORY_CONTROL group to access the information needed from WEBSTORE.TRANSACTIONS?

- A. alias
- B. sequence
- C. trigger

D. view

Answer: D

7. A database contains two tables with the same definition and authorities: PRODUCTION.SALESDATA and TEST.SALESDATA. The PRODUCTION.SALESDATA table contains business-critical information that is constantly changing; the TEST.SALESDATA table contains a snapshot of the PRODUCTION.SALESDATA table. Business rules require that applications under development access the TEST.SALESDATA table until ready for deployment. Once an application is deployed, it accesses the PRODUCTION.SALESDATA table.

Which object can be used to simplify switching between the TEST.SALESDATA and PRODUCTION.SALESDATA tables without having to re-code the application?

- A. trigger
- B. procedure
- C. alias
- D. sequence

Answer: C

8. For which two database objects can an ALIAS be created? (Choose two.)

- A. schema
- B. trigger
- C. sequence
- D. module

Answer: CD

9. Click the Exhibit button.

```
CREATE TABLE s1.mytab (  
    col1 INTEGER GENERATED ALWAYS AS IDENTITY,  
    col2 INTEGER,  
    col3 INTEGER,  
    CHECK (col1+col3 < 500)
```

)

```
CREATE VARIABLE s1.var1 INTEGER DEFAULT (99)
CREATE FUNCTION s1.add100 (p1 INT, p2 INT)
RETURNS INTEGER
LANGUAGE SQL
DETERMINISTIC
NOT FENCED
BEGIN
    SET p1= p2+100;
    RETURN p1;
END
```

Given the table, variable, and function definitions shown in the exhibit, which two statements contain a valid invocation of the add100 function? (Choose two.)

- A. SELECT col1, outcol=add100(col2,col3) FROM mytab
- B. SET var1 = ABS(add100(1,99))
- C. SELECT col1, add100(col2,col3) AS outcol FROM mytab
- D. SELECT outcol.* FROM TABLE(add100(col2,col3)) AS outcol

Answer: BC

10. Which SQL procedure will retrieve all the rows from table T1 and make those rows available to the invoker as a result set?

- A. CREATE PROCEDURE proc1()
DYNAMIC RESULTS SET 1
LANGUAGE SQL
SELECT * FROM t1
- B. CREATE PROCEDURE proc1()
DYNAMIC RESULTS SET 1
LANGUAGE SQL
BEGIN

```
DECLARE c1 CURSOR WITH RETURN FOR SELECT * FROM t1;
```

```
OPEN c1;
```

```
END
```

```
C. CREATE PROCEDURE proc1()
```

```
DYNAMIC RESULTS SET 1
```

```
LANGUAGE SQL
```

```
RETURN (SELECT * FROM t1)
```

```
D. CREATE PROCEDURE proc1()
```

```
DYNAMIC RESULTS SET 1
```

```
LANGUAGE SQL
```

```
BEGIN
```

```
DECLARE c1 CURSOR FOR SELECT * FROM t1;
```

```
RETURN c1;
```

```
END
```

Answer: B

Visualexams.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially Adobe, Apple, Citrix, Comptia, EMC, HP, HuaWei, LPI, Nortel, Oracle, SUN, Vmware and so on. And help you pass any IT Certification exams at the first try.

Web site: <http://www.visualexams.com>

You can reach us at any of the email addresses listed below.

E-Mail: [visualexams \(at\) hotmail.Com](mailto:visualexams@hotmail.com)