

**Exam : IBM 000-732**

**Title : DB2 9 for z/OS Database  
Administrator**

**Version : Demo**

## Important Note, Please Read Carefully

### Other VisualExams products

[All visual exams IT Exam Products](#)

### Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[visual exams Testing Engine](#)

### Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at VisualExams and update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to <http://www.visual exams.com/>
2. Log in the **User Center**
3. The latest versions of all purchased products are downloadable from here. Just click the links.

### Feedback

If you spot a possible improvement then please let us know. We always interested in improving product quality.

Feedback should be send to [Visual exams@hotmail.com](mailto:Visual exams@hotmail.com). You should include the following: Exam number, version, page number, question number, and your login Account.

Our experts will answer your mail promptly.

### Explanations

This product does not include explanations at the moment. If you are interested in providing explanations for this exam, please contact [Visual exams@hotmail.com](mailto:Visual exams@hotmail.com).

### Features

- Comprehensive questions with complete details
- Instant Downloadable in PDF form.
- Verified Answers Researched by Industry Experts
- Questions accompanied by exhibits.
- Drag and Drop questions as experienced in the Actual Exams.
- These questions and answers are backed by our GUARANTEE.
- Questions updated on regular basis.
- Like actual certification exams our product is in multiple-choice questions (MCQs)

**Commitment to Your Success: At VisualTestExam.com, we are committed to you ongoing success. Our exams and questions are constantly being updated and compared to industry standards.**

Want to earn a Microsoft certification like MCSE, MCSE 2003, CCNA, CCNP? Thinking about getting an A+ or CCSP?

A, CCSP or Network+ Certification with less effort and time. You will be astonished at the theoretical and practical knowledge you will acquire in such a short period of time using our Certification Training Products. Our Study material will enable you to pass your Microsoft, Your Cisco and any other certification on the very first attempt.

## **Guarantee**

Visualexams provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if somehow you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

1. If an object is created statically by a role within a trusted context and the ROLE AS OBJECT OWNER clause is specified, who becomes the object owner when executing the package?

- A. The role
- B. The schema name
- C. The owner keyword
- D. The current SQLID (if set)

**Answer: A**

2. A company uses TRUSTED CONTEXT "ERP1" and ROLE "ERP\_ROLE" as a security mechanism to limit security exposure for an application. All the DB2 objects (databases, table spaces, tables, indexes, views, plans and packages) have been created by that ROLE. The ROLE "ERP\_ROLE" has been assigned to User ID "DBA01" in order to perform DBA related tasks. When the user "DBA01" leaves the company, the authorization ID is removed. Which of the following statements are correct? (Select two answers)

- A. None of these DB2 objects need to be recreated to re-grant the privileges.
- B. The related plans and packages have to be recreated and the privileges re-granted.
- C. When removing user "DBA01" privileges, none of these DB2 objects need to be dropped.
- D. Only the related databases, table spaces, tables, indexes and views need to be recreated and the privileges re-granted.
- E. To remove the privileges of user "DBA01" on these related plans and packages, they have to be dropped and as a result all associated privileges are revoked.

**Answer: AC**

3. A DBA wishes to audit all access to the non-audited table OWNER.EMPLOYEE. Assuming no audit traces are started, which of the following steps are needed to audit access to this table?

- A. -START TRACE AUDIT CLASS (5)
- B. -START TRACE AUDIT CLASS (4, 5)
- C. -START TRACE AUDIT CLASS (4, 5) and ALTER TABLE OWNER.EMPLOYEE AUDIT ALL
- D. -START TRACE AUDIT CLASS (4, 5) and ALTER TABLE OWNER.EMPLOYEE DATA CAPTURE CHANGES

**Answer: C**

4. A DBA needs to use the DSN command processor to delete DB2 packages that are no longer needed.

Which of the following choices is correct for the DBA to use?

- A. SPUFI or QMF with the DROP statement
- B. FREE Package (<collid>.<name of package>.<version id>)
- C. DROP Package (<collid>.<name of package>.<version id>)
- D. DROP PLAN (<plan name>) PKLIST (<collid>.<name of a particular package>.<version id>)

**Answer: B**

5. At which of the following times is the access control authorization routine (DSNX@XAC) invoked?

- A. At DB2 startup.
- B. When executing a DB2 GRANT statement.
- C. When DB2 has cached authorization information.
- D. During any authorization check if NO was specified in the USE PROTECTION field of the DSNTIPP panel.

**Answer: A**

6. Which of the following RACF profiles would be used to allow IMS to access DB2 DSN1?

- A. DSN1.IMS
- B. DSNR.IMS
- C. DSN1.MASS
- D. DSN1.SASS

**Answer: C**

7. An audit trace shows that TSO user TSOID1, with DBADM authority, is continually attempting to update a table in DB2 subsystem DSN1 that is not supposed to be updated. Which of the following will prevent access to the DB2 subsystem?

- A. REVOKE DBADM FROM TSOID1
- B. Change TSOID1's access to DSNR resource class DSN1.TSO to NONE
- C. Change TSOID1's access to DSNR resource class DSN1.BATCH to READ

D. Change TSOID1's access to DSNR resource class DSN1.BATCH to NONE

**Answer: D**

8. A DBA has been required by a new company policy to implement a new DB2 security method. The company would like to separate the authorization IDs that can execute plans and packages from the authorization IDs that can create new plans and packages. Which of the following explicit system privileges allows the user to create new plans and packages without being able to also execute them?

- A. BINDADD
- B. CREATEIN
- C. BINDAGENT
- D. CREATEDBA

**Answer: C**

9. Which of the following DSNZPARMs is necessary to influence access path selection for certain queries?

- A. STDSQL
- B. OPTHINTS
- C. PARTKEYU
- D. DESCSTAT

**Answer: B**

10. What is the purpose of the following catalog health query?

```
SELECT BNAME, BCREATOR, BTYPE, DNAME
FROM SYSIBM.SYSPLANDEP PD
WHERE BTYPE IN ('T', 'V', 'A')
AND NOT EXISTS
(SELECT *
FROM SYSIBM.SYSTABLES
WHERE CREATOR = PD.BCREATOR
AND NAME = PD.BNAME
AND TYPE = PD.BTYPE);
```

- A. For every row in SYSTABLES that indicates a dependency upon a table, view, or alias, there should be a corresponding row in SYSPLANDEP.
- B. For every row in SYSPLANDEP that indicates a dependency upon a table, view, or alias, there should be a corresponding row in SYSTABLES.
- C. For every row in SYSPLANDEP that indicates a dependency upon a table space, view, or a table that has been altered, there should be a corresponding row in SYSTABLES.
- D. For every row in SYSPLANDEP that indicates a dependency upon a table space, a table with a VARCHAR column, or alias, there should be a corresponding row in SYSTABLES.

**Answer: B**

11. Which of the following is the correct configuration in a two way DB2 datasharing group?

- A. MVSA (DB2A, active log A, workfile A)  
MVSB (DB2B, active log B, workfile B)  
Shared BSDS and catalog and directory  
Coupling facility one  
Sysplex timer one
- B. MVSA (DB2A, BSDS A, active log A, workfile A)  
MVSB (DB2B, BSDS B, active Log B, workfile B)  
Shared catalog and directory  
Coupling facility one  
Sysplex timer one
- C. MVSA (DB2A, BSDS A, active log A, workfile A, catalog & directory A)  
MVSB (DB2B, BSDS B, active log A, workfile A, catalog & directory B)  
Coupling facility one  
Sysplex timer one
- D. MVSA (DB2A, BSDS A, active log A, workfile A, catalog & directory A)  
MVSB (DB2B, BSDS B, active log B, workfile B, catalog & directory B)  
Coupling facility one  
Sysplex timer one

**Answer: B**

12. A DB2 V9 system that is in New Function Mode:

- A. cannot fall back.
- B. can fall back to Compatibility Mode.
- C. can fall back to New Function Mode\*.
- D. can fall back to Compatibility Mode\*.

**Answer: D**

13. Which parameter in WLM Application Environment controls the # of concurrent stored procedures that can run in that particular environment?

- A. NUMSRB
- B. NUMTHR
- C. NUMCTK
- D. NUMTCB

**Answer: D**

14. Which of the following buffer pool thresholds CANNOT be changed by the DBA?

- A. Deferred write threshold (DWQT)
- B. Immediate write threshold (IWTH)
- C. Vertical deferred write threshold (VDWQT)
- D. Virtual buffer pool assisting parallel sequential threshold (VPXPSEQT)

**Answer: B**

15. There are dynamic SQL statements running in a subsystem that need to have their host variables reoptimized at run-time, however the distribution of the values does not change very much between execution. What is the most optimal bind parameter for these statements?

- A. REOPT(NONE)
- B. REOPT(ONCE)
- C. REOPT(VARS)
- D. REOPT(ALWAYS)

**Answer: B**

16. Given the following RUNSTATS utility statement:

```
RUNSTATS TABLESPACE DB2CERTDB.MYTBLSPC1  
        TABLE (MYTABLE1) COLUMN(ALL)  
        INDEX  
        REPORT YES  
        UPDATE ALL
```

HISTORY ALL which of the following statements is true?

- A. Cardinality statistics will only be collected on all columns of all indexes on table MYTABLE1.
- B. Cardinality statistics will only be collected on the first column of each index on table MYTABLE1.
- C. Cardinality statistics will only be collected on all columns of each index associated with table space MYTBLSPC1.
- D. Cardinality statistics will only be collected on the first column of each index associated with table space MYTBLSPC1.

**Answer: D**

17. Which statement best describes how multi-row fetch improves performance?

- A. It reduces the amount of programming required.
- B. It reduces the number of SQL statements issued.
- C. It reduces the amount of data sent over a network.
- D. It reduces the amount of I/O required to read a table.

**Answer: B**

18. A DBA was examining the Log Statistics, Log Activity section in the OMEGAMON Performance Expert Tool and noticed a large value in the field UNAVAILABLE OUTPUT LOG BUFF. This is an important and critical performance metric. What does this performance metric mean?

- A. The OUTPUT BUFFER field of installation panel DSNTIPL was specified too large so memory was not

utilized and wasted.

- B. The active logs were not stripped by DFSMS and the active log data sets have to be processed sequentially so many times.
- C. The active log data sets were not placed on different volumes to reduce contention so a large amount of I/O activity showed up in the OUTPUT BUFFER field.
- D. The OUTPUT BUFFER field of installation panel DSNTIPL was specified too small so application has to wait while DB2 was busy writing the Active log data sets.

**Answer: D**

19. An end-user indicates that the DRDA client application accessing DB2 for z/OS is very slow. However, other local applications accessing the same tables are running fine. What would indicate that this could be a DB2 problem?

- A. Calculate the non-nested CLASS 1 CPU time minus non-nested CLASS 2 CPU time. If the value is high, it suggests a problem in the DDF address space.
- B. Investigate the CLASS 3 suspension time. As class 3 time includes the time that DB2 spends sending/receiving network messages, a high value is a possible indication that the network is experiencing a slow-down.
- C. Calculate the non-nested CLASS 1 Elapsed time (ET) minus non-nested CLASS 2 ET. If the value is high, this can only be caused by spending most time in the application, and therefore the application should be investigated.
- D. Check to see if the DB2 remote connection can become inactive at commit (Type 2 inactive). If not, this leads to a high non-nested CLASS 1 ET and is likely the cause of the performance problem. Inactive connections will use less CPU than threads that stay active all the time.

**Answer: A**

20. An application has been running in production for a long time. The size of the objects involved has not changed, but the application is running much slower than in the beginning. When should the DBA consider manually REBINDing the application?

- A. After REORGing the objects with inline statistics.
- B. When dynamic SQL is used, but only after REORG and RUNSTATS has been performed.

C. Actually it is NOT recommended to perform manual rebinds but rather have DB2 perform automatic rebinds.

D. If the size of the objects has not changed after gathering RUNSTATS data, the access path is very unlikely to change, and therefore no REBIND is needed.

**Answer: A**

Visualexams.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially Adobe, Apple, Citrix, Comptia, EMC, HP, HuaWei, LPI, Nortel, Oracle, SUN, Vmware and so on. And help you pass any IT Certification exams at the first try.

Web site: <http://www.visualexams.com>

You can reach us at any of the email addresses listed below.

E-Mail: [visualexams \(at\) hotmail.Com](mailto:visualexams@hotmail.com)