

Exam : IBM 000-737

**Title : DB2 9 System Administrator
for z/OS Exam**

Version : Demo

Important Note, Please Read Carefully

Other VisualExams products

[All visualexams IT Exam Products](#)

Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[visualexams Testing Engine](#)

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at VisualExams and update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to <http://www.visualexams.com/>
2. Log in the **User Center**
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you spot a possible improvement then please let us know. We always interested in improving product quality.

Feedback should be send to Visualexams@hotmail.com. You should include the following: Exam number, version, page number, question number, and your login Account.

Our experts will answer your mail promptly.

Explanations

This product does not include explanations at the moment. If you are interested in providing explanations for this exam, please contact Visualexams@hotmail.com.

Features

- Comprehensive questions with complete details
- Instant Downloadable in PDF form.
- Verified Answers Researched by Industry Experts
- Questions accompanied by exhibits.
- Drag and Drop questions as experienced in the Actual Exams.
- These questions and answers are backed by our GUARANTEE.
- Questions updated on regular basis.
- Like actual certification exams our product is in multiple-choice questions (MCQs)

Commitment to Your Success: At VisualTestExam.com, we are committed to you ongoing success. Our exams and questions are constantly being updated and compared to industry standards.

Want to earn a Microsoft certification like MCSE, MCSE 2003, CCNA, CCNP? Thinking about getting an A+ or CCSP?

A, CCSP or Network+ Certification with less effort and time. You will be astonished at the theoretical and practical knowledge you will acquire in such a short period of time using our Certification Training Products. Our Study material will enable you to pass your Microsoft, Your Cisco and any other certification on the very first attempt.

Guarantee

Visualexams provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if somehow you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

1. Which two methods can be used to configure the use of a SSL secure port on a DB2 for z/OS server?

(Choose two.)

- A. Specify "Y" in the SECURE column of SYSIBM.SYSLOCATIONS.
- B. Specify a secure port value in the PORT column of SYSIBM.SYSLOCATIONS.
- C. Update the DDF statement in the BSDS using DSNJU003.
- D. Specify the TCP/IP port number in the DRDA SECURE PORT field of the Distributed Data Facility Panel 2 (DSNTIP5).
- E. Specify the value of the secure port in the DRDA PORT field of DSNTIP5.

Answer: CD

2. Non-partitioned table space TS1 lives in database DB1.

Which command removes the intersystem read/write interest against this table space?

- A. -START DB(DB1) SPACE(TS1) ACCESS(FORCE)
- B. -ALTER BUFFERPOOL(*) DBNAME(DB1) SPACE(TS1) MODE(NOISRW)
- C. -START DB(DB1) SPACE(TS1) ACCESS(RW)
- D. -ACCESS DB(DB1) SPACE(TS1) MODE(NGBPDEP)

Answer: D

3. Which single DB2 system parameter must be enabled to allow system level backups to be used for object level recovery?

- A. RESTORE_SYSTEM
- B. RESTORE_RECOVER_FROMDUMP
- C. SYSTEM_LEVEL_BACKUPS
- D. RESTORE_BACKUP

Answer: C

4. An accounting report shows high class 3 times.

Which three could contribute to the class 3 times? (Choose three.)

- A. elapsed time
- B. not accounted time

- C. page latch
- D. service task switch
- E. synchronous I/O

Answer: CDE

5. Which system parameter will lower the DBM1 storage requirements (below the 2 GB bar), if the value was reduced?

- A. MAXDBAT
- B. EDM_SKELETON_POOL
- C. MXDTCACH
- D. MINSTOR

Answer: A

6. Which statement about migrating a DB2 data sharing system to a new DB2 version is correct?

- A. You need to bring down all the members of the DB2 data sharing group except one while running the DB2 CATMAINT utility.
- B. If you use COEXIST=YES, there is no need to run CATMAINT with a single member active. All members can be active during CATMAINT.
- C. You can run CATMAINT with all members of the data sharing group active in DB2.
- D. You can only run the DSNTIJNF job (that switches the system to new-function mode) with a single member active in the DB2 data sharing group.

Answer: C

7. Your administrative scheduler shows message DSNAP679I indicating that one or both copies of your task lists is not accessible or is corrupted. Your analysis shows that only the VSAM file is corrupt, but the ADMIN_TASKS table is still operational.

Which statement describes how to correct this situation?

- A. Create an empty version of the VSAM task list and let DB2 perform an autonomic recovery using the content of the ADMIN_TASKS table.
- B. Create an empty version of the VSAM task list and use REPRO utility to copy the contents of the VSAM

cluster containing the ADMIN_TASKS table.

C. Create an empty version of the VSAM task list and use DB2 command -RECOVER TASKLIST to recover the content of the ADMIN_TASKS table.

D. No manual interaction is needed as long as the ADMIN_TASKS table is still accessible.

Answer: A

8. You are migrating your DB2 for z/OS subsystem to version 9 NFM. As part of the migration process, you intend to step through the different IBM provided IVP phases to verify that everything is working well. Looking at the generated jobs, you recognize that there is only one job that has been created for phase 6 (accessing data at a remote site) rather than the whole set of jobs.

What is the reason for this happening?

A. On migration panel DSNTIPR, you have specified YES or AUTO as DDF startup option.

B. On migration panel DSNTIPX, you have not entered a default WLM environment name.

C. On migration panel DSNTIPX, you have entered a default WLM environment, which is not yet defined.

D. On migration panel DSNTIPX, you have not entered a WLM procedure name.

Answer: B

9. After migrating to DB2 9 for z/OS NFM you recognize that you need additional work file database page sets.

Which statement is correct?

A. You must use REXX exec DSNTWFG.

B. Work file database page sets are always user-controlled, that is the associated VSAM clusters must be created prior to the actual creation.

C. Work file database must be stopped in order to add page sets to it using either DSNTWFG exec or CREATE TABLESPACE.

D. You can use either DSNTWFG exec or CREATE TABLESPACE to add additional page sets to the work file database.

Answer: D

10. A DB2 subsystem is being migrated/converted from DB2 Version 8 to DB2 9. The subsystem currently

has these characteristics: new DB2 9 functions are not available; no DB2 9 objects can exist; the subsystem cannot fall-back to CM (conversion mode); the subsystem cannot fall-back to Version 8; the subsystem cannot coexist with any Version 8 systems in a data sharing group.

Which mode describes the DB2 subsystem?

- A. CM* (conversion mode*)
- B. ENFM (enabling-new-function mode)
- C. ENFM* (enabling-new-function mode*)
- D. NFM (new-function mode)

Answer: B

11. Pre-migration planning from a DB2 V8 for z/OS system to DB2 9 for z/OS system requires two sub-system tasks to be performed or the migration process for DB2 9 you start will be terminated immediately.

Which pre-migration task must be performed?

- A. DB2 V8 fall-back SPE and V8 subsystem startup
- B. migration jobs for the DB2 catalog and directory
- C. DB2 DSNZPARM changes and a reassemble
- D. sizing and REORG of the DB2 catalog

Answer: A

12. You are planning the migration of your DB2 subsystem from version 8 to version 9. Rebinding existing packages is highly recommended, but you are also worrying about potential problems that might occur with new access paths after rebind.

Which action gives you the option to rebind packages with the ability to fall back to the original access path if performance problems are encountered?

- A. Use REBIND PACKAGE option PLANMGMT(BASIC) or (EXTENDED).
- B. Use REBIND PACKAGE option REOPT(ONCE).
- C. Use REBIND PACKAGE option OPTHINT.
- D. Use REBIND PACKAGE option KEEP DYNAMIC(YES).

Answer: A

13. You are migrating your DB2 subsystem from version 8 to DB2 9. You have already used the user-defined RTS tables in version 8 and you are planning to also use RTS in version 9.

Which two statements are true? (Choose two.)

- A. DSNRTSDB is integrated into the DB2 9 catalog.
- B. The existing the real-time statistics data is copied from your user-defined tables to catalog tables as part of the migration to CM.
- C. You can safely drop your user-defined RTS database once you are in ENFM.
- D. You should keep your user-defined RTS database until you have fully migrated to NFM.
- E. Execute DDL in member DSNTESB in SDSNSAMP to create the RTS database.

Answer: AC

14. Batch jobs regularly fail when they are in the process of inserting a large number of rows into a DECLARE GLOBAL TEMPORARY TABLE. (DGTT)

Which two statements accurately describe what could be causing this problem? (Choose two.)

- A. The table space that was selected to store the DGTT in the TEMP database is too small to store all the rows of the DGTT.
- B. The WORKFILE database is too small.
- C. There is too much concurrent activity against the TEMP database to be able to handle all the DGTT activity that is going on.
- D. The user is exceeding the maximum amount of temporary space that can be used by an agent (MAXTEMPS) DSNZPARM setting.
- E. There are too many DB2 utilities running at the same time as the job inserting rows into the DGTT.

Answer: BD

15. A non-data sharing DB2 subsystem is heavily using CPU resources.

Which system parameter change would have a positive effect on the CPU usage?

- A. Change MINSTOR=NO to MINSTOR=YES.
- B. Change EDBMFIT=YES to EDBMFIT = NO.
- C. Change IMMEDIATEWRITE=YES to IMMEDIATEWRITE=NO.

D. Increase the IRLM timeout value from 15 to 60 seconds.

Answer: B

16. Which two statements regarding system parameters are true? (Choose two.)

- A. Indexes can now be mapped to 8K and 16K buffer pools assigned by default using the system parameter IDXBPOOL.
- B. Implicit table space data sets are always defined at create time without a system parameter to override this behavior.
- C. Indexes can be compressed for an entire subsystem by setting the IDXCOMP system parameter to YES.
- D. The default for BIND option DBPROTOCOL can no longer be specified using the system parameter DBPROTCL.
- E. The amount of work file storage used by any one agent cannot be controlled via system parameters.

Answer: AD

17. A customer has just migrated their DB2 system to V9 new function mode. They currently use the BACKUP SYSTEM utility and have optionally dumped the backup to tape.

Which action should be performed to only use the system level backup that was taken to disk?

- A. Run the DSNJU003 utility and modify the system point in time backup record to have DUMPSTATE=NONE.
- B. Use the BACKUPTYPE(DASD) keyword on the RESTORE SYSTEM utility.
- C. Use the TAPEDUMP(NORECSYS) keyword on the BACKUP SYSTEM utility when the backup is taken.
- D. Set the RESTORE_RECOVER_FROMDUMP system parameter to NO.

Answer: D

18. A customer has just migrated their DB2 system to V9 new function mode. They currently use the BACKUP SYSTEM utility but want to restrict the system level backup for use only with the RESTORE SYSTEM utility.

Which action should be performed to restrict the system level backup to only be used by the RECOVER SYSTEM utility during an object level recovery?

- A. Set the SYSTEM_LEVEL_BACKUPS system parameter to NO.

- B. Use the BACKUPUSE(RECSYSONLY) keyword on the BACKUP SYSTEM utility.
- C. Use the BACKSYS NO keyword on the RECOVER utility.
- D. Run the DSNJU003 utility and modify the system point in time backup record to have RESTSYS=ONLY.

Answer: A

19. You are planning for the execution of multiple concurrent RECOVER jobs (e.g., during DB2 disaster recovery).

Which DSNZPARM parameter allows for the most Fast Log Apply storage to be allocated to each RECOVER job?

- A. LOGAPSTG=0M
- B. MEMLIMIT=100M
- C. LOGAPSTG=100M
- D. FASTLOG=100M

Answer: C

20. The total number of threads accessing data that can be allocated concurrently is the sum of which combination of DB2 parameters?

- A. IDBACK and IDFORE
- B. MAXKEEPD and MAXOFILR
- C. MAXDBAT and CONDBAT
- D. MAXDBAT and CTHREAD

Answer: D

Visualexams.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially Adobe, Apple, Citrix, Comptia, EMC, HP, HuaWei, LPI, Nortel, Oracle, SUN, Vmware and so on. And help you pass any IT Certification exams at the first try.

Web site: <http://www.visualexams.com>

You can reach us at any of the email addresses listed below.

E-Mail: [visualexams \(at\) hotmail.Com](mailto:visualexams@hotmail.com)