

Exam : IBM 000-901

**Title : IBM Tivoli Netcool/OMNibus
V7.1**

Version : Demo

Important Note, Please Read Carefully

Other VisualExams products

[All visualexams IT Exam Products](#)

Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[visualexams Testing Engine](#)

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at VisualExams and update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to <http://www.visualexams.com/>
2. Log in the **User Center**
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you spot a possible improvement then please let us know. We always interested in improving product quality.

Feedback should be send to VisualExams@hotmail.com. You should include the following: Exam number, version, page number, question number, and your login Account.

Our experts will answer your mail promptly.

Explanations

This product does not include explanations at the moment. If you are interested in providing explanations for this exam, please contact VisualExams@hotmail.com.

Features

- Comprehensive questions with complete details
- Instant Downloadable in PDF form.
- Verified Answers Researched by Industry Experts
- Questions accompanied by exhibits.
- Drag and Drop questions as experienced in the Actual Exams.
- These questions and answers are backed by our GUARANTEE.
- Questions updated on regular basis.
- Like actual certification exams our product is in multiple-choice questions (MCQs)

Commitment to Your Success: At VisualTestExam.com, we are committed to your ongoing success. Our exams and questions are constantly being updated and compared to industry standards.

Want to earn a Microsoft certification like [MCSE](#), [MCSE 2003](#), [CCNA](#), [CCNP](#)? Thinking about getting an [A+](#) or [CCSP](#)?

A, [CCSP](#) or [Network+](#) Certification with less effort and time. You will be astonished at the theoretical and practical knowledge you will acquire in such a short period of time using our Certification Training Products. Our Study material will enable you to pass your [Microsoft](#), Your [Cisco](#) and any other certification on the very first attempt.

Guarantee

VisualExams provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if somehow you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

1. Which two do you use to configure a probe to communicate with a particular ObjectServer? (Choose two.)

- A.the -name property on the command line
- B.the -server property on the command line
- C.the Name property in the probe properties file
- D.the Server property in the probe properties file
- E.the Manager property in the probe properties file

Answer: BD

2. Which command can be run on a UNIX server to verify that Process Agent is running and responding properly?

- A./usr/local/bin/lsof
- B.\$OMNIHOME/bin/nco_pad
- C./usr/bin/ps -ef | grep nco_pa
- D.\$NCHOME/omnibus/bin/nco_pa_status

Answer: D

3. What occurs when the BREAK command is used within a trigger?

- A.It stops the execution of a procedure.
- B.It ends the current loop and proceeds to the next statement.
- C.It executes the sequence until ELSEIF, ELSE, or END IF is reached.
- D.It exits and writes the value of an expression to a variable or parameter.

Answer: B

4. How do you create a group of users in the ObjectServer?

- A.configure group name, group ID and roles
- B.configure user names, user ID and restriction filters
- C.run the UNIX command groupadd and assign an ID, a name and users to it
- D.run \$OMNIHOME/nco_sql and insert: ObjectServer name, group name, user name and a unique identifier

Answer: A

5. Under a default IBM Tivoli Netcool/OMNibus v7.1 install on UNIX/Linux, which command can be used to start the Event List?

A./opt/netcool/bin/nco

B./opt/netcool/bin/nco_event

C./opt/netcool/omnibus/bin/nco_elct

D./opt/netcool/omnibus/bin/nco_event

Answer: D

6. Click the Exhibit button.

```
## Object Servers #
[COL_P] {
  Primary: server1 4100
}

[COL_B] {
  Primary: server2 4100
}

[COL_V] {
  Primary: server1 4100
  Backup: server2 4100
}

[AGG_P] {
  Primary: server3 4102
}

[AGG_B] {
  Primary: server4 4103
}

[AGG_V] {
  Primary: server3 4102
  Backup: server4 4103
}

## Routing Gateways #
[C_TO_A_GATE] {
  Primary: server3 4106
}
```

The customer needs to manage a nationwide network with many WAN connections. To minimize network traffic across the WAN links, Collection ObjectServers will be deployed toward the edges of the networks at regional data centers. Aggregation and Display ObjectServers will be located in a central location. There

are firewalls between the regional data centers and the central location. The exhibit contains the omni.dat file. All of the ObjectServers use port 6969 for IDUC.

Which two ports must be opened in the firewall to enable alarm data to be transferred from the Collection ObjectServers to the Aggregation ObjectServers? (Choose two.)

- A.4100
- B.4102
- C.4103
- D.4106
- E.6969

Answer: AE

7. A common user requirement is to provide a "north-bound" interface from the Netcool ObjectServer to a third-party Network Management System. This is used to pass event data from the Netcool ObjectServer to the third-party system.

Which component of Netcool can be used to satisfy this requirement?

- A.TL1 TSM
- B.socket probe
- C.SNMP gateway
- D.generic log file probe

Answer: C

8. Your customer wants to install the IBM Tivoli Netcool Suite on AIX.

What is the default installation location of Netcool?

- A./usr/netcool
- B./opt/netcool
- C./usr/omnibus
- D./root/omnibus

Answer: A

9. A government institution is interested in monitoring their Oracle-based internally developed applications

with the Tivoli Netcool suite. They only allow secure, encrypted communications between components of the solution.

Which procedure should the institution implement to ensure secure communication is implemented?

A.No additional procedures are necessary, as there is documentation stating encryption is supported by both applications.

B.They only need to implement SSL between the internally developed Oracle applications and a Netcool probe since the default configuration communicates with the ObjectServer using encryption methods.

C.They should set up network equipment to enforce routing policies between the internally developed Oracle applications and the Netcool since encryption is not supported with the Tivoli Netcool probe communication libraries.

D.They should test communications between the internally developed Oracle applications and the Netcool suite by running a probe local to the host where the database is located and configuring the probe to run in secure mode and establish an SSL session with the ObjectServer.

Answer: D

10. What is the default location of the installation of the Netcool License Server V1.0.31?

A.\$NCHOME/flexlm

B.\$NCHOME/license

C.\$NCHOME/common

D.\$NCHOME/omnibus/license

Answer: B

11. How do you configure a second communication port between the Netcool License Server and IBM Tivoli Netcool/OMNIbus v7.1 components?

A.add the port on the vendor line in the license.lic file

B.modify the flexlm startup script to use a different port

C.run \$OMNIHOME/bin/nco_start_license -port <specify port>

D.run \$NCLICENSE/bin/nc_start_license -port <specify port>

Answer: A

12. How do you change the default installation location for IBM Tivoli Netcool/OMNIBus v7.1?

- A.You use the command line override to the Common Installer.
- B.You check the Verbose Install option in the Common Installer GUI.
- C.You extract the .jar files and move the contents to the desired location.
- D.The directory cannot be changed during installation and must be modified afterwards.

Answer: A

13. Which syntax is used to determine which options are available for the INSTALL utility?

- A../INSTALL -info
- B../INSTALL -help
- C../INSTALL props
- D../INSTALL -options

Answer: B

14. Probe patches for Windows are delivered with which file extension?

- A..gz
- B..zip
- C..tar.Z
- D..tar.gz

Answer: B

15. According to instructions in a typical patch README file for UNIX, which two UNIX utilities are necessary to extract a probe patch's contents from the downloaded probe patch file? (Choose two.)

- A.tar
- B.gzip
- C.zcat
- D.bzip2
- E.gunzip

Answer: AC

16. If a probe patch needs to be removed or backed out, the following command can be used:

```
$OMNIHOME/install/nco_patch -remove <patch_ID>
```

How can you determine the patch_ID needed by the nco_patch utility?

- A. You look up the name of the patch in the .pdf documentation for the probe.
- B. The name of the patch_ID is the same as the name of the probe executable.
- C. You run the command \$OMNIHOME/install/nco_patch -print=short.
- D. You run the command \$OMNIHOME/bin/nco_id for a list of installed packages.

Answer: C

17. Where is the default location of the license file(s) for License Server V1.0.31?

- A. C:\Program Files\netcool\common\license\etc
- B. C:\Program Files\Micromuse\netcool\license\etc
- C. C:\Program Files\Micromuse\omnibus\license\etc
- D. C:\Program Files\Micromuse\common\license\etc

Answer: B

18. What is the default value for the NCHOME environment variable for a Windows installation?

- A. C:\netcool
- B. C:\Program Files\netcool
- C. C:\Program Files\omnibus
- D. C:\Program Files\Micromuse\netcool

Answer: D

19. Which command creates an ObjectServer named NCOMS on a Windows machine?

- A. %NCHOME%\omnibus\bin\nco_dbinit -name NCOMS
- B. %NCHOME%\omnibus\bin\nco_dbinit -server NCOMS
- C. %NCHOME%\omnibus\bin\nco_new_server -name NCOMS
- D. %NCHOME%\omnibus\bin\nco_new_server -server NCOMS

Answer: B

20. Flex is installed on HOSTX using the default port number.

What is the correct value for the \$NETCOOL_LICENSE_FILE UNIX environment variable?

A.27000@HOSTX

B.HOSTX@27000

C./opt/netcool/common/license

D./opt/netcool/common/license/etc/license.lic

Answer: A

Visualexams.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially Adobe, Apple, Citrix, Comptia, EMC, HP, HuaWei, LPI, Nortel, Oracle, SUN, Vmware and so on. And help you pass any IT Certification exams at the first try.

Web site: <http://www.visualexams.com>

You can reach us at any of the email addresses listed below.

E-Mail: [visualexams \(at\) hotmail.Com](mailto:visualexams@hotmail.com)