

Exam : IBM 000-903

Title : IBM Tivoli Netcool/XSM

Version : Demo

Important Note, Please Read Carefully

Other VisualExams products

[All visual exams IT Exam Products](#)

Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[visual exams Testing Engine](#)

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at VisualExams and update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to <http://www.visual exams.com/>
2. Log in the **User Center**
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you spot a possible improvement then please let us know. We always interested in improving product quality.

Feedback should be send to Visual exams@hotmail.com. You should include the following: Exam number, version, page number, question number, and your login Account.

Our experts will answer your mail promptly.

Explanations

This product does not include explanations at the moment. If you are interested in providing explanations for this exam, please contact Visual exams@hotmail.com.

Features

- Comprehensive questions with complete details
- Instant Downloadable in PDF form.
- Verified Answers Researched by Industry Experts
- Questions accompanied by exhibits.
- Drag and Drop questions as experienced in the Actual Exams.
- These questions and answers are backed by our GUARANTEE.
- Questions updated on regular basis.
- Like actual certification exams our product is in multiple-choice questions (MCQs)

Commitment to Your Success: At VisualTestExam.com, we are committed to you ongoing success. Our exams and questions are constantly being updated and compared to industry standards.

Want to earn a Microsoft certification like MCSE, MCSE 2003, CCNA, CCNP? Thinking about getting an A+ or CCSP?

A, CCSP or Network+ Certification with less effort and time. You will be astonished at the theoretical and practical knowledge you will acquire in such a short period of time using our Certification Training Products. Our Study material will enable you to pass your Microsoft, Your Cisco and any other certification on the very first attempt.

Guarantee

Visualexams provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if somehow you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

1. Which statement is true about nco_m_bridge?

- A. It is not required if you are not monitoring Wireless Bridges.
- B. It is used to write data to the datalogs and the ObjectServer.
- C. It is the communication link between the monitors and the ISMServer.
- D. It is used to maintain communication between all the monitors to keep them synchronized.

Answer: B

2. The logmonx module currently has communities of public and private both with access privileges of read/write.

Which set of console commands would change the associated communities for only the logmonx module to public with access privileges of read only and secure with access privileges of read/create?

- A. community set logmonx secure rc private ro
- B. community set logmonx secure rc
community set logmonx public ro
community remove logmonx private
- C. community remove logmonx private
community add logmonx secure rc
community add logmonx public ro
- D. community add logmonx secure rc
community set logmonx public ro
community delete logmonx private

Answer: B

3. The ISMServer includes a feature to automatically distribute profiles to other ISMServers.

What are the names given to the ISMServer distributing the profiles and the ISMServer accepting the profiles?

- A. father and son
- B. server and client
- C. master and slave
- D. primary and backup

Answer: C

4. When utilizing the HTTP ISM, which statement is true about license key requirements?

- A. One license key is required for each instance of the HTTP monitor.
- B. One license key is required for each user to view the collected data.
- C. One license key is required for each connection to the ObjectServer.
- D. One license key is required for each individual HTTP test that is defined.

Answer: A

5. If a customer intends to utilize the Netcool/SSM agent in their infrastructure, what network protocol must be allowed?

- A. Telnet for agent configuration
- B. DNS for agent name resolution
- C. SNMP for agent communication
- D. NTP for agent clock configuration

Answer: C

6. What is the purpose of the OID Groups required by the SNMP ISM?

- A. They identify the frequency of data collection.
- B. They contain the threshold settings used for SLA measurement.
- C. They determine the specific data values collected from the device.
- D. They contain the SNMP community string required for communication with each target device.

Answer: C

7. What is the most important consideration when defining Element Profiles for use in Netcool/ISM monitoring?

- A. Element Profile names are limited to 25 characters.
- B. There is a limit of 25 Element Profiles per ISMServer.
- C. An Element Profile can only contain tests for a single protocol.
- D. Access authority for ISMServer users is defined at the Element Profile level.

Answer: D

8. The ismbatch utility is a CLI tool that can be used to perform Netcool/ISM configuration using a text script.

What is an important consideration when using this utility?

- A. The utility cannot be used to add new Profiles.
- B. The ISMServer must be stopped while the script is running.
- C. The utility can only be run using a valid ISMServer user name.
- D. All Netcool/ISM Monitors must be stopped while the utility is running.

Answer: B

9. Regular Expression Matching is a powerful feature available within certain Netcool/ISM monitors.

Which is a valid use of this feature?

- A. When used by the HTTP ISM, it can identify the differences between two HTML pages.
- B. When used by the DHCP ISM, it can be used to determine if a specific IP address is available.
- C. When used by the HTTP ISM, it can be used to determine when the last time a specific HTML page was modified.
- D. When used by the HTTP ISM, it can be used to verify that the expected page content was returned from

an HTML page.

Answer: D

10. The SM Configuration (SMC) application can be used to install Netcool/SSM agents on remote UNIX hosts.

What is required for each target host in order to utilize this capability?

- A. All target hosts must reside on the same IP subnet.
- B. SMC must have rsh access to each target host, as this is the only technique available to SMC.
- C. SMC must be configured with the root user name and password, or a user with root authority, on each target host.
- D. SMC can only be used to install the software, so the agent installation package must be manually placed on each target host.

Answer: C

11. The System Monitor Configuration (SM CONFIGURATION (SMC)) application can be configured to automatically discover potential target hosts for Netcool/SSM agent deployment.

Which protocols are required for this discovery process to work successfully?

- A. SNMP and DNS
- B. ICMP and SNMP
- C. ICMP and Telnet
- D. SNMP and Telnet

Answer: B

12. Which Netcool/SSM subagent provides the capability to run a script periodically based upon specific criteria?

- A. Process
- B. Programmable
- C. Service Discovery
- D. System Resources

Answer: B

13. Which Netcool/SSM subagent provides the capability to perform certain functions based upon a specific time of day?

- A. Crontab
- B. Programmable
- C. Generic Alarm
- D. Host Resources

Answer: A

14. Which statement is true about the number of elements the POP3 monitor is able to process?

- A. The number depends on the system and network resources.
- B. The number depends entirely on the POP3 server being polled.
- C. The number depends on the total number of elements the ISMServer is set up to manage.
- D. The number depends on how many users are configured to use the POP3 server for mail retrieval.

Answer: A

15. Which statement is true about the DNS monitor's scaling ability?

- A. The scalability of the DNS monitor is dependent on the system and network resources.
- B. A DNS monitor can easily handle over 10,000 elements with a polling frequency for each element of 1 minute.
- C. The scalability of the DNS monitor depends solely on the network stack implementation of the host operating system.
- D. Three or more DNS monitors can work together on a single host, and the elements configured are automatically load balanced between the monitors.

Answer: A

Visualexams.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially Adobe, Apple, Citrix, Comptia, EMC, HP, HuaWei, LPI, Nortel, Oracle, SUN, Vmware and so on. And help you pass any IT Certification exams at the first try.

Web site: <http://www.visualexams.com>

You can reach us at any of the email addresses listed below.

E-Mail: [visualexams \(at\) hotmail.Com](mailto:visualexams@hotmail.com)