

Exam : Cisco 642-355

**Title : Cisco Storage Networking
Solutions Design Specialist
(CSSDS)**

Version : Demo

Important Note, Please Read Carefully

Other VisualExams products

[All visualexams IT Exam Products](#)

Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[visualexams Testing Engine](#)

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at VisualExams and update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to <http://www.visualexams.com/>
2. Log in the **User Center**
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you spot a possible improvement then please let us know. We always interested in improving product quality.

Feedback should be send to Visualexams@hotmail.com. You should include the following: Exam number, version, page number, question number, and your login Account.

Our experts will answer your mail promptly.

Explanations

This product does not include explanations at the moment. If you are interested in providing explanations for this exam, please contact Visualexams@hotmail.com.

Features

- Comprehensive questions with complete details
- Instant Downloadable in PDF form.
- Verified Answers Researched by Industry Experts
- Questions accompanied by exhibits.
- Drag and Drop questions as experienced in the Actual Exams.
- These questions and answers are backed by our GUARANTEE.
- Questions updated on regular basis.
- Like actual certification exams our product is in multiple-choice questions (MCQs)

Commitment to Your Success: At VisualTestExam.com, we are committed to you ongoing success. Our exams and questions are constantly being updated and compared to industry standards.

Want to earn a Microsoft certification like MCSE, MCSE 2003, CCNA, CCNP? Thinking about getting an A+ or CCSP?

A, CCSP or Network+ Certification with less effort and time. You will be astonished at the theoretical and practical knowledge you will acquire in such a short period of time using our Certification Training Products. Our Study material will enable you to pass your Microsoft, Your Cisco and any other certification on the very first attempt.

Guarantee

VisualExams provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if somehow you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

1. Which technology should be used to provide transparent low latency FC transport across a metropolitan area?

- A. DWDM
- B. FCIP
- C. iSCSI
- D. iFCP

Answer: A

2. Which statement is true concerning the Cisco MDS switch when operating in native interop mode?

- A. The MDS switch can interoperate with Non-MDS switches that are certified by SNIA.
- B. The MDS switch can interoperate with Non-MDS switches that support "MDS Native" mode.
- C. The MDS switch can interoperate with Non-MDS switches that properly adhere to Fibre Channel switch standards.
- D. The MDS switch cannot interoperate with Non-MDS switches.

Answer: C

3. Refer to the exhibit. Your customer has an existing SAN with eight edge switches and two core switches. In your detailed assessment, which metric will help you convince the customer to consider an alternative, more highly available topology?



- A. SFP characteristics
- B. total port count
- C. cost of edge switch devices
- D. total versus usable ports for end devices

Answer: D

4. A customer would like to add Cisco MDS switches to an existing Brocade environment with minimal disruption. The Brocade switches are using PID-0 mode. Which two features will enable the creation of a Cisco-Brocade heterogeneous fabric without restricting the feature set of either switch? (Choose two.)

- A. interop mode 1

- B. interop mode 2
- C. interop mode 3
- D. IVR
- E. PortChannels
- F. CWDM

Answer: BD

5. Your customer has a number of data storage requirements:

servers are not responsible for volume management or data migration

storage is provisioned in real time

legacy and heterogeneous storage assets can be consolidated and fully utilized

data can be protected using simplified snapshot and replication techniques

data can be assigned to different classes easily

Which solution would meet these requirements?

- A. VSANs
- B. Wide-Area Application Services (WAAS)
- C. fabric-based virtualization
- D. LUN zoning
- E. host-based virtualization

Answer: C

6. Select three advantages of using fabric-based storage virtualization instead of host-based virtualization.

(Choose three.)

- A. offers a single point of management
- B. supports heterogeneous storage
- C. does not require a host agent
- D. insulates the hosts from storage changes
- E. provides mirroring

Answer: ACD

7. Which are two characteristics of the Cisco MDS Series fan modules? (Choose two.)

- A. Supervisor modules shut down the fan modules when the air temperature is below a preset threshold.
- B. If the Fan Status LED turns red, a fan has failed and the module must be replaced.
- C. Fan modules monitor air temperature and shut down if the temperature exceeds a preset threshold.
- D. Fan modules do not require the switch to be powered off in order to be replaced.

Answer: BD

8. Your customer is using an IPS-8 module in its data center to provide FCIP connectivity to 20 remote sites. It has encountered connectivity problems at four of the remote sites. After investigating, the customer's

network administrator found that the IPS-8 is sending 2300-byte packets, but the receiving switches at the four remote sites do not support jumbo frames.

What should you do?

- A. Disable packet shaping on the IPS-8
- B. Reduce the minimum retransmit timeout
- C. Disable jumbo frames on the IPS-8
- D. Enable Path MTU discovery

Answer: D

9. Your SAN environment requires redundant fabrics with redundant connectivity for 40 database hosts at 2 Gbps of throughput per host. Which two of these configurations are possible? (Choose two.)

- A. two 48-port line cards
- B. four 48-port line cards
- C. four 32-port line cards
- D. six 16-port line cards
- E. two 32-port line cards and two 16-port line cards


Answer: BD

10. Your customer wants to implement a SAN with redundant fabrics supporting 600 device ports. Which two Cisco MDS 9000 Family configurations will meet the customer's needs? (Choose two.)

- A. two MDS 9509 switches with redundant Supervisor-1 modules
- B. two MDS 9509 switches with redundant Supervisor-2 modules
- C. two MDS 9513 switches with redundant Supervisor-1 modules
- D. two MDS 9513 switches with redundant Supervisor-2 modules

Answer: BD

11. Refer to the exhibit. A customer plans to add a tape backup subsystem to its existing storage network. In which location should the customer place the tape backup device in order to provide the best performance during backup and recovery?



- A. A
- B. B
- C. C
- D. D

Answer: B


12. A customer has a need to synchronously replicate data from the primary data center to a standby data center that is 30 kilometers away. The customer owns the fiber between the two data centers and uses the link for Gigabit Ethernet connectivity today. The Gigabit Ethernet connection is heavily utilized and generally remains at 90-percent utilization. The customer expects that the replication traffic will require approximately 30 MBps, and is looking for a low-cost solution.

Which replication solution would you recommend?

- A. FCIP
- B. CWDM
- C. DWDM
- D. iSCSI

Answer: B

13. Refer to the exhibit. What port type should be used between the two switches to maximize performance?



- A. B
- B. E
- C. F
- D. NL
- E. TE

Answer: B

14. Which SAN extension topology is a low-latency, cost-effective, high-bandwidth solution that is suitable only within a limited geographical area?

- A. FCIP
- B. DWDM
- C. CWDM
- D. SONET/SDH

Answer: C

15. Which of these provides fabric-based virtualization for multiple independent software vendors?

- A. Storage Services Module (SSM)
- B. Cisco MDS 9000 32-port 1/2-Gbps Fibre Channel module
- C. Multiprotocol Services module
- D. Cisco MDS 9513 Supervisor 2

Answer: A

Visualexams.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially Adobe, Apple, Citrix, Comptia, EMC, HP, HuaWei, LPI, Nortel, Oracle, SUN, Vmware and so on. And help you pass any IT Certification exams at the first try.

Web site: <http://www.visualexams.com>

You can reach us at any of the email addresses listed below.

E-Mail: [visualexams \(at\) hotmail.Com](mailto:visualexams@hotmail.com)