

Exam : Cisco 642-456

**Title : Implementing Cisco Unified
Communications Manager
Part 2 (CIPT2 v6.0)**

Version : Demo

Important Note, Please Read Carefully

Other VisualExams products

[All visualexams IT Exam Products](#)

Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[visualexams Testing Engine](#)

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at VisualExams and update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to <http://www.visualexams.com/>
2. Log in the **User Center**
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you spot a possible improvement then please let us know. We always interested in improving product quality.

Feedback should be send to Visualexams@hotmail.com. You should include the following: Exam number, version, page number, question number, and your login Account.

Our experts will answer your mail promptly.

Explanations

This product does not include explanations at the moment. If you are interested in providing explanations for this exam, please contact Visualexams@hotmail.com.

Features

- Comprehensive questions with complete details
- Instant Downloadable in PDF form.
- Verified Answers Researched by Industry Experts
- Questions accompanied by exhibits.
- Drag and Drop questions as experienced in the Actual Exams.
- These questions and answers are backed by our GUARANTEE.
- Questions updated on regular basis.
- Like actual certification exams our product is in multiple-choice questions (MCQs)

Commitment to Your Success: At VisualTestExam.com, we are committed to you ongoing success. Our exams and questions are constantly being updated and compared to industry standards.

Want to earn a Microsoft certification like MCSE, MCSE 2003, CCNA, CCNP? Thinking about getting an A+ or CCSP?

A, CCSP or Network+ Certification with less effort and time. You will be astonished at the theoretical and practical knowledge you will acquire in such a short period of time using our Certification Training Products. Our Study material will enable you to pass your Microsoft, Your Cisco and any other certification on the very first attempt.

Guarantee

Visualexams provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if somehow you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

1. The Acme Corporation is experiencing poor, choppy audio quality on voice calls placed across their WAN link to and from Madison. What can be done to the Location parameter for Madison to help alleviate this problem?

- A. Increase the audio bandwidth setting in the Location configuration window for Madison.
- B. Nothing, the audio bandwidth Location parameter for Madison is not related to the problem.
- C. Remove the audio bandwidth parameter in the Location configuration window for Madison.
- D. Decrease the audio bandwidth setting in the Location configuration window for Madison.

Answer: D

2. How are Cisco Unified CallManager location parameters used?

- A. Assign directory numbers to devices as they connect to the IP telephony network.
- B. Implement call admission control in a centralized call processing deployment.
- C. Provide alternate call routing when the primary call path is unavailable.
- D. Specify the bandwidth used for audio and video calls.

Answer: B

3. What is the impact of setting an RSVP policy per location pair with a default interlocation RSVP service policy?

- A. additional bandwidth capacity will be added to the default interlocation RSVP service policy
- B. the RSVP policy will only be associated with one type of call; for example, if it is associated with video calls, audio calls will not be impacted
- C. an RSVP mandatory mid-call retry counter will be added to calls that encounter mid-call retry errors
- D. the default interlocation RSVP service policy will be overridden

Answer: D

4. How is recovery from SRST mode back to Cisco Unified Communications Manager call processing accomplished?

- A. The IP phones receive Keepalives from Cisco Unified Communications Manager. They then register with Cisco Unified Communications Manager and cancel their registration with the SRST gateway.
- B. The IP phones receive a response to Keepalives sent to Cisco Unified Communications Manager. They

then register with Cisco Unified Communications Manager and cancel their registration with the SRST gateway.

C. The SRST gateway receives Keepalives from Cisco Unified Communications Manager. The SRST gateway then rejects the IP phone registrations with instructions to register with Cisco Unified Communications Manager.

D. The SRST gateway receives a response to Keepalives sent to Cisco Unified Communications Manager. The SRST gateway then rejects the IP phone registrations with instructions to register with Cisco Unified Communications Manager.

Answer: B

5. Refer to the exhibit. Horst's Helicopters has a centralized Cisco Unified Communications Manager deployment, with SRST implemented on MGCP gateways at the remotes sites. The WAN link to Seattle has failed. All phones in Seattle have registered to the SRST gateway and can call each other internally, but all outside calls fail.

```

SRST-Router#show ccm-manager
MGCP Domain Name: BRL
Priority          Status                Host
=====
Primary          Down                   10.1.5.10
First Backup     None
Second Backup    None

Current active Call Manager:    None
Backhaul/Redundant link port:   2428
Failover Interval:              30 seconds
Keepalive Interval:             15 seconds
Last keepalive sent:             15:53:22 UTC Aug 4 2006 (elapsed time: 1h11m)
Last MGCP traffic time:          15:52:52 UTC Aug 4 2006 (elapsed time: 1h12m)
Last failover time:              None
Last switchback time:           None
Switchback mode:                 Graceful
MGCP Fallback mode:              Not Selected
Last MGCP Fallback start time:   None
Last MGCP Fallback end time:     None
MGCP Download Tones:            Disabled

Backhaul/Redundant link is down
Configuration Error History:
FAX mode: cisco
SRST-Router#

SRST-Router#show dial-peer voice summary
dial-peer hunt 0
          AD
TAG      TYPE  MIN  OPER  PREFIX  DEST-PATTERN  PRE  PASS  OUT
1        pots up   up    9T      0           FER THRU SESS-TARGET  STAT  PORT

```

Based on the output shown in the exhibit, what is the most likely solution to the problem?

- A. Configure MCGP fallback on the gateway.
- B. Add the isdn outgoing-voice command to the configuration.
- C. Call the phone provider and report that the PRI link is down.
- D. Enable the outgoing POTS dial peer with the no shutdown command.

Answer: A

6. Refer to the exhibit. On a router running Cisco IOS Release 12.3(14)T, an auto-attendant Tcl script is loaded and a warning message is displayed, stating that the operator parameter has not been registered. See the exhibit for an example of the error.

What must you do to continue?

```
2811(config-app)#service aa flash:its-CISCO.2.0.1.0.tcl
2811(config-app-param)#
*Sep 20 17:24:11.545: //-1//HIFS:/hifs_ifs_cb: hifs ifs file read succeeded. size=6627, url=flash:its-CISCO.2.0.1.0.tcl
*Sep 20 17:24:11.549: //-1//HIFS:/hifs_free_idata: hifs_free_idata: 0x48CA4354
*Sep 20 17:24:11.549: //-1//HIFS:/hifs_hold_idata: hifs_hold_idata: 0x48CA4354
2811(config-app-param)#param operator 5000
Warning: parameter operator has not been registered under aa namespace
2811(config-app-param)#
```

- A. nothing, the warning may be ignored
- B. register the application with the gatekeeper
- C. register the application parameters with the gatekeeper
- D. register the application parameters with the application
- E. register the application with the Cisco Unified Communications Manager
- F. register the application parameters with the Cisco Unified Communications Manager

Answer: A

7. Which debug command can be used to troubleshoot an issue with a Tcl script?

- A. debug tcl script
- B. debug call script
- C. debug custom script
- D. debug voice application

Answer: D

8. Which encryption algorithm does SRTP utilize?

- A. SEAL
- B. 3DES
- C. IPSEC
- D. AES

Answer: D

9. What is required to effectively use the Cisco CTL client to activate security in an IP telephony network?

- A. H.323 gateway
- B. Security Tokens
- C. IPSEC
- D. Secure SRST

Answer: B

10. When configuring CAPF, user intervention is required when using which authentication mode?

- A. by existing certificate (precedence to LSC)
- B. by null string
- C. by existing certificate (precedence to MIC)
- D. by authentication string
- E. user intervention never required

Answer: D

Visualexams.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially Adobe, Apple, Citrix, Comptia, EMC, HP, HuaWei, LPI, Nortel, Oracle, SUN, Vmware and so on. And help you pass any IT Certification exams at the first try.

Web site: <http://www.visualexams.com>

You can reach us at any of the email addresses listed below.

E-Mail: [visualexams \(at\) hotmail.Com](mailto:visualexams@hotmail.com)