

Exam : Cisco 642-591

**Title : Implementing Cisco NAC
Appliance**

Version : Demo

Important Note, Please Read Carefully

Other VisualExams products

[All visualexams IT Exam Products](#)

Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[visualexams Testing Engine](#)

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at VisualExams and update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to <http://www.visualexams.com/>
2. Log in the **User Center**
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you spot a possible improvement then please let us know. We always interested in improving product quality.

Feedback should be send to Visualexams@hotmail.com. You should include the following: Exam number, version, page number, question number, and your login Account.

Our experts will answer your mail promptly.

Explanations

This product does not include explanations at the moment. If you are interested in providing explanations for this exam, please contact Visualexams@hotmail.com.

Features

- Comprehensive questions with complete details
- Instant Downloadable in PDF form.
- Verified Answers Researched by Industry Experts
- Questions accompanied by exhibits.
- Drag and Drop questions as experienced in the Actual Exams.
- These questions and answers are backed by our GUARANTEE.
- Questions updated on regular basis.
- Like actual certification exams our product is in multiple-choice questions (MCQs)

Commitment to Your Success: At VisualTestExam.com, we are committed to you ongoing success. Our exams and questions are constantly being updated and compared to industry standards.

Want to earn a Microsoft certification like MCSE, MCSE 2003, CCNA, CCNP? Thinking about getting an A+ or CCSP?

A, CCSP or Network+ Certification with less effort and time. You will be astonished at the theoretical and practical knowledge you will acquire in such a short period of time using our Certification Training Products. Our Study material will enable you to pass your Microsoft, Your Cisco and any other certification on the very first attempt.

Guarantee

Visualexams provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if somehow you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

1. The NAS is configured to autogenerate an IP address pool of 30 subnets with a netmask of /30, beginning at address 192.168.10.0. Which IP address is leased to the end-user host on the second subnet?

- A. 192.168.10.4
- B. 192.168.10.5
- C. 192.168.10.6
- D. 192.168.10.7

Answer: C

2. Which default administrator group has delete permissions?

- A. admin
- B. help-desk
- C. add-edit
- D. full-control

Answer: D

3. What is the result when the condition statement in a Cisco NAA check for required software evaluates to false on a client machine?

- A. The required software is automatically downloaded to the user device.
- B. The required software is made available after the user is quarantined.
- C. The user is put in the unauthenticated role and the software is considered missing.
- D. The user is placed in the temporary role and the software is made available.

Answer: B

4. Which three components comprise a Cisco NAC Appliance solution? (Choose three.)

- A. a NAC-enabled Cisco router
- B. a Linux server for in-band or out-of-band network admission control
- C. a Linux server for centralized management of network admission servers
- D. a Cisco router to provide VPN services
- E. a read-only client operating on an endpoint device
- F. a NAC-enabled Cisco switch


Answer: BCE

5. When configuring the Cisco NAM to implement Cisco NAA requirement checking on client machines, what is the next step after configuring checks and rules?

- A. retrieve updates
- B. require the use of the Cisco NAA
- C. configure session timeout and traffic policies
- D. map rules to requirement
- E. configure requirements

Answer: E

6. Refer to the exhibit. When logging in to a Cisco NAC Appliance solution, an end user is prompted for a username, password, and provider. What should be entered in the Provider drop-down field shown in the exhibit?



- A. the authenticating NAS
- B. the authorizing NAM
- C. the name of the ISP
- D. the external authenticating server

Answer: D

7. What are the two types of traffic policies that apply to user roles? (Choose two.)

- A. IP-based
- B. peer-based
- C. host-based

- D. manager-based
- E. server-based
- F. VLAN-based

Answer: AC

8. After you implement a network scan and view the report, you notice that a plug-in did not access any of its dependent plug-ins. What did you forget to do?

- A. enable the Dependent Plug-in check box on the General Tab form
- B. configure dependent plug-in support when you mapped the Nessus scan check to the Nessus plug-in rule
- C. install dependent plug-ins when you updated the Cisco NAC Appliance plug-in library
- D. load the dependent plug-ins for that plug-in in the Plug-in Updates form

Answer: D

9. A client has a network with wireless and wired users. The wired users run mission-critical bandwidth-sensitive applications. The wireless users access web-based support portals within the central office.

Given only this information, which Cisco NAC Appliance solution would provide the most fault-tolerant option for this client?

- A. one Cisco NAM and one in-band highly available Cisco NAS cluster
- B. one load-balanced highly available Cisco NAM cluster and one out-of-band highly available Cisco NAS cluster
- C. one highly available Cisco NAM cluster, one out-of-band highly available Cisco NAS cluster, and one in-band Cisco NAS
- D. one highly available Cisco NAM cluster and one in-band highly available Cisco NAS cluster

Answer: C

10. Based on the Boolean order of precedence, how would Cisco NAC Appliance evaluate the following rule?

AdAwareLogRecent&(NorAVProcessIsActiveymAVProcessIsActive)

- A. (The Norton Antivirus is active and there is a recent Ad Aware log entry) or (the Symantec antivirus process is active).
- B. There is a recent Ad Aware log entry, the Norton Antivirus is active, and the Symantec antivirus process is active.
- C. (Either the Norton Antivirus or the Symantec antivirus process is active) and (there is a recent Ad Aware log entry).
- D. There is a recent Ad Aware log entry or the Norton Antivirus is active, or the Symantec antivirus process is active.

Answer: C

11. How do you ensure that the Cisco NAS has the most recent version of the Cisco NAA to install on user devices?

- A. Each time the Cisco NAA is upgraded, the Cisco NAM automatically downloads the new version of Cisco NAA to all Cisco NAS servers.
- B. From the Cisco NAS Web Admin Console, enable Cisco NAA autoupdate on the Administration > Software Update form.
- C. The Cisco NAA is upgraded directly to each Cisco NAS using the Upgrade Server form available on the Cisco NAM web console GUI.
- D. Configure the Cisco NAS by selecting which Cisco NAA to upgrade in the Cisco NAA Upgrade form.

Answer: A

12. A search of available switches has been performed and a list of switches is presented. Which two SNMP attributes need to match what is configured in the Cisco switch profile for a listed switch to be added to the Cisco NAM? (Choose two.)

- A. SNMP read community string
- B. SNMP write community string
- C. SNMP read version
- D. SNMP write version

E. SNMP trap

Answer: AC

13. In a Cisco NAC Appliance Windows Active Directory SSO deployment, what are the cached credentials and Kerberos TGT from the client-machine Windows login used for?

- A. They are used to validate the user with the Cisco NAS.
- B. They are used to validate the user authentication with the backend Windows Active Directory server.
- C. They are used to validate user access with the Cisco NAA.
- D. They are used to validate the user authentication and access with the Cisco NAM.

Answer: B

14. What must you check on the switches for an out-of-band Cisco NAC Appliance deployment?

- A. The Cisco or non-Cisco switch must support port security and SNMPv2 or SNMPv3.
- B. The Cisco switch must support VACL (VLAN ACL).
- C. If you have stacked Cisco Catalyst 3750 Series Switches, you are using Cisco IOS Release 12.1(25)SEC or above.
- D. The Cisco switch must use at least the minimum supported version of Cisco IOS or Catalyst OS supporting mac-notification or linkup-linkdown SNMP traps.

Answer: D

15. When using Windows Active Directory Single-Sign-ON (SSO), the Cisco NAA on the client machine will ask the client machine for a Service Ticket (ST) with which username to communicate with the Cisco NAS?

- A. the Cisco NAA username
- B. the Microsoft Windows Active Directory server username
- C. the Cisco NAS username
- D. the client username

Answer: C

Visualexams.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially Adobe, Apple, Citrix, Comptia, EMC, HP, HuaWei, LPI, Nortel, Oracle, SUN, Vmware and so on. And help you pass any IT Certification exams at the first try.

Web site: <http://www.visualexams.com>

You can reach us at any of the email addresses listed below.

E-Mail: [visualexams \(at\) hotmail.Com](mailto:visualexams@hotmail.com)