

Exam : HuaWei GB0-183

**Title : HuaWei-3Com Certificated
Network Engineer**

Version : Demo

Important Note, Please Read Carefully

Other VisualExams products

[All visualexams IT Exam Products](#)

Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[visualexams Testing Engine](#)

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at VisualExams and update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to <http://www.visualexams.com/>
2. Log in the **User Center**
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you spot a possible improvement then please let us know. We always interested in improving product quality.

Feedback should be send to Visualexams@hotmail.com. You should include the following: Exam number, version, page number, question number, and your login Account.

Our experts will answer your mail promptly.

Explanations

This product does not include explanations at the moment. If you are interested in providing explanations for this exam, please contact Visualexams@hotmail.com.

Features

- Comprehensive questions with complete details
- Instant Downloadable in PDF form.
- Verified Answers Researched by Industry Experts
- Questions accompanied by exhibits.
- Drag and Drop questions as experienced in the Actual Exams.
- These questions and answers are backed by our GUARANTEE.
- Questions updated on regular basis.
- Like actual certification exams our product is in multiple-choice questions (MCQs)

Commitment to Your Success: At VisualTestExam.com, we are committed to you ongoing success. Our exams and questions are constantly being updated and compared to industry standards.

Want to earn a Microsoft certification like MCSE, MCSE 2003, CCNA, CCNP? Thinking about getting an A+ or CCSP?

A, CCSP or Network+ Certification with less effort and time. You will be astonished at the theoretical and practical knowledge you will acquire in such a short period of time using our Certification Training Products. Our Study material will enable you to pass your Microsoft, Your Cisco and any other certification on the very first attempt.

Guarantee

VisualExams provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if somehow you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

1. Frame Relay adopts () as the switching method.

- A.Routing
- B.Circuit switching
- C.Fast switching
- D.Packet switching

Answer: d

2. A network protocol is a set of rules and conventions that prescribe how network devices inter-communicate. The communication parties shall understand and abide the protocol. ()

- T.True
- F.False

Answer: t

3. Which layer of the OSI reference model implements encryption. ()

- A.Physical layer
- B.Transport layer
- C.Session layer
- D.Presentation layer

Answer: d

4. Both the transport layer and the data link layer perform error check. ()

- T.True
- F.False

Answer: t

5. Common routing protocols are ().

- A.IPX
- B.OSPF
- C.RIP
- D.IP

Answer: bc

6. To test the gateways that a packet will pass through from the source host to the destination, use the command () in the H3C COMWARE command line.

- A.ping
- B.tracert
- C.show path
- D.display path

Answer: b

7. What algorithm is adopted in PPP CHAP authentication? ()

A.MD5

B.DES

C.RSA

D.SHA

Answer: a

8. Two routers are in back-to-back connection with the following configuration. Can they communicate with each other? ()

[Router1] display current-configuration

```
#
sysname Router1
#
FTP server enable
#
l2tp domain suffix-separator @
#
radius scheme system
#
domain system
#
local-user admin
password cipher .]@USE=B,53Q=^Q`MAF4<<"TX$_S#6.NM(0=0)*5WWQ=^Q`MAF4<<"TX$_S#6.N
service-type telnet terminal
level 3
service-type ftp
local-user h3c
password simple h3c
service-type ppp
#
interface Aux0
async mode flow
#
interface Serial0/0
link-protocol ppp
ppp authentication-mode chap
ppp chap user h3c
```

```
ip address 10.0.0.1 255.255.255.0
#
interface NULL0
#
user-interface con 0
user-interface aux 0
user-interface vty 0 4
authentication-mode none
user privilege level 3
#
return
[Router2] display current-configuration
#
sysname Router2
#
FTP server enable
#
l2tp domain suffix-separator @
#
radius scheme system
#
domain system
#
local-user admin
password cipher .]@USE=B,53Q=^Q`MAF4<<"TX$_S#6.NM(0=0)*5WWQ=^Q`MAF4<<"TX$_S#6.N
service-type telnet terminal
level 3
service-type ftp
local-user h3c
password simple 3com
service-type ppp
#
interface Aux0
async mode flow
#
```

```
interface Serial0/0
clock DTECLK1
link-protocol ppp
ppp authentication-mode chap
ppp chap user h3c
ip address 10.0.0.2 255.255.255.0
#
interface NULL0
#
user-interface con 0
user-interface aux 0
user-interface vty 0 4
authentication-mode none
user privilege level 3
#
return
```

A.Yes

B.No

C.No decision can be made, for there is not enough information.

Answer: b

9. If the user data exceeds the Bc (committed burst) in a frame relay network, the exceeding data will be dropped. ()

T.True

F.False

Answer: f

10. Two routers are in back-to-back connection with the following configuration. Can they communicate with each other? ()

```
[Router1]display current-configuration
```

```
#
```

```
sysname Router1
```

```
#
```

```
FTP server enable
```

```
#
```

```
l2tp domain suffix-separator @
```

```
#
```

```
fr switching
#
radius scheme system
#
domain system
#
local-user admin
password cipher .]@USE=B,53Q=^Q`MAF4<<"TX$_S#6.NM(0=0)*5WWQ=^Q`MAF4<<"TX$_S#6.N
service-type telnet terminal
level 3
service-type ftp
#
interface Aux0
async mode flow
#
interface Ethernet0/0
ip address dhcp-alloc
#
interface Ethernet0/1
ip address dhcp-alloc
#
interface Serial0/0
link-protocol fr
fr interface-type dce
#
interface Serial0/0.1 p2p
fr dlci 20
ip address 10.0.0.1 255.255.255.0
#
interface NULL0
#
user-interface con 0
user-interface aux 0
user-interface vty 0 4
authentication-mode none
```

```
user privilege level 3
#
return
[Router2]display current-configuration
#
sysname Router2
#
FTP server enable
#
l2tp domain suffix-separator @
#
radius scheme system
#
domain system
#
local-user admin
password cipher .]@USE=B,53Q=^Q`MAF4<<"TX$_S#6.NM(0=0)*5WWQ=^Q`MAF4<<"TX$_S#6.N
service-type telnet terminal
level 3
service-type ftp
#
interface Aux0
async mode flow
#
interface Ethernet0/0
ip address dhcp-alloc
#
interface Ethernet0/1
ip address dhcp-alloc
#
interface Serial0/0
clock DTECLK1
link-protocol fr
#
interface Serial0/0.1 p2p
```

```
fr dlc1 20
ip address 10.0.0.2 255.255.255.0
#
interface NULL0
#
user-interface con 0
user-interface aux 0
user-interface vty 0 4
authentication-mode none
user privilege level 3
#
return
```

A.Yes

B.No

C.No decision can be made, for there is not enough information.

Answer: a

11. The command to save the current configuration on the H3C router COMWARE 3.4 is ().

A.write

B.save

C.copy

D.reset

Answer: b

12. The H3C AR routers can be upgraded in different ways. Which of the following is not supported? ()

A.Xmodem

B.FTP

C.TFTP

D.HGMP

Answer: d

13. Which of the following is right about OSPF? ()

A.It is fast in convergence.

B.It is loop-free, and supports variable-length subnet mask.

C.It supports equal-cost multipath and area division.

D.It supports authentication, and the protocol packets sending with multicast.

Answer: abcd

14. RIP adopts () as the transport protocol with the port number 520.

- A.TCP
- B.UDP
- C.IP
- D.PPP

Answer: b

15. The types of ACLs are identified with numbers. The range 4000-4999 refers to the ().

- A.Interface-based ACL
- B.Basic ACL
- C.Advanced ACL
- D.MAC-based ACL

Answer: d

16. The TFTP port number is ().

- A.TCP port 68
- B.UDP port 68
- C.TCP port 69
- D.UDP port 69

Answer: d

17. DCC can carry IP or IPX independently, or carry them at the same time. ()

- T.True
- F.False

Answer: t

18. Which of the following is a correct description of IP address? ()

- A.Each IP address contains the network address and the host address.
- B.The minimum IPv4 address is 0.0.0.0, and the maximum is 255.255.255.255.
- C.32-bit binary address is used.
- D.The IP address mask and the IP address perform Boolean AND operation. The bits with the result value 0 are the host bits.

Answer: abc

19. Which of the following is a correct description of subnet mask? ()

- A.There are two ways to express the subnet mask. One of them uses mask length.
- B.It decides which part of the IP address identifies the network, and which part identifies the host.
- C.The address mask of Class A addresses is 255.255.0.0.
- D.None of the above is right.

Answer: ab

20. Which of the following is an application layer protocol that uses port number 25? ()

- A.FTP
- B.TFTP
- C.Telnet
- D.SMTP

Answer: d

Visualexams.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially Adobe, Apple, Citrix, Comptia, EMC, HP, HuaWei, LPI, Nortel, Oracle, SUN, Vmware and so on. And help you pass any IT Certification exams at the first try.

Web site: <http://www.visualexams.com>

You can reach us at any of the email addresses listed below.

E-Mail: [visualexams \(at\) hotmail.Com](mailto:visualexams@hotmail.com)