

**Exam : HP HP0-438**

**Title : Advanced SAN  
Architecture**

**Version : Demo**

## Important Note, Please Read Carefully

### Other VisualExams products

[All visualexams IT Exam Products](#)

### Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[visualexams Testing Engine](#)

### Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at VisualExams and update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to <http://www.visualexams.com/>
2. Log in the **User Center**
3. The latest versions of all purchased products are downloadable from here. Just click the links.

### Feedback

If you spot a possible improvement then please let us know. We always interested in improving product quality.

Feedback should be send to [Visualexams@hotmail.com](mailto:Visualexams@hotmail.com). You should include the following: Exam number, version, page number, question number, and your login Account.

Our experts will answer your mail promptly.

### Explanations

This product does not include explanations at the moment. If you are interested in providing explanations for this exam, please contact [Visualexams@hotmail.com](mailto:Visualexams@hotmail.com).

### Features

- Comprehensive questions with complete details
- Instant Downloadable in PDF form.
- Verified Answers Researched by Industry Experts
- Questions accompanied by exhibits.
- Drag and Drop questions as experienced in the Actual Exams.
- These questions and answers are backed by our GUARANTEE.
- Questions updated on regular basis.
- Like actual certification exams our product is in multiple-choice questions (MCQs)

**Commitment to Your Success: At VisualTestExam.com, we are committed to you ongoing success. Our exams and questions are constantly being updated and compared to industry standards.**

Want to earn a Microsoft certification like MCSE, MCSE 2003, CCNA, CCNP? Thinking about getting an A+ or CCSP?

A, CCSP or Network+ Certification with less effort and time. You will be astonished at the theoretical and practical knowledge you will acquire in such a short period of time using our Certification Training Products. Our Study material will enable you to pass your Microsoft, Your Cisco and any other certification on the very first attempt.

## **Guarantee**

Visualexams provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if somehow you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

1. Which are two of the most important considerations when deciding to expand a fabric? Select TWO.

- A. maintain the original fabric topology
- B. maintain the original data access needs
- C. expand the fabric for maximum bandwidth
- D. expand the fabric for maximum connectivity
- E. expand the fabric so that it supports future growth

**Answer: BE**

2. Before merging a fabric in a high-available redundant SAN environment with B-Series switches, you change conflicting zoning configurations and domain IDs. What else must you do in case of a mismatch to avoid fabric segmentation?

- A. Adjust the name table entries for one switch at a time.
- B. Adjust the buffer-to-buffer credits settings in one fabric at a time.
- C. Adjust the Core PID parameter bit settings in one fabric at a time.
- D. Adjust the TCP/IP subnet address settings for one switch at a time.

**Answer: C**

3. What is the consequence of merging a zoned fabric with a non-zoned fabric?

- A. The fabrics do not merge. They segment and require manual intervention.
- B. Devices that were in the non-zoned fabric are not accessible until they are added to the currently enabled configuration.
- C. Devices in the fabric are not accessible until the devices in the non-zoned fabric are zoned and made part of the effective configuration.
- D. Any devices that were in the non-zoned fabric are automatically configured into a new zone as part of the effective configuration so they can function.

**Answer: B**

4. A SAN administrator has an existing test SAN based on 1 Gbps B-series SAN switches with zoning. To evaluate the compatibility of 1 Gbps and 2 Gbps switches, the administrator powers on a 1 Gbps and a 2

Gbps SAN switch (factory default settings without zoning). An ISL is then installed between the two switches. The administrator notices that the fabric segments. What are two possible causes of the segmentation? Select TWO.

- A. The zoning information is incompatible.
- B. The core PID parameters are conflicting.
- C. The new switch has a conflicting domain ID.
- D. The two switches are not at the same firmware version.
- E. The speed on the port must first be set for 1 Gbps operation.

**Answer: BC**

5. Which two factors affect the merging of SANs? Select TWO.

- A. IP addresses
- B. SNMP configuration
- C. zone naming standards
- D. switch fabric parameters
- E. switch naming standards

**Answer: CD**

6. A SAN consists of two cascaded switches with no free ports and one ISL. The SAN administrator intends to add a new switch and cascade it off one of the existing switches. What is the recommended procedure?

- A. Shut down the SAN and recable it with the new switch.
- B. Use the ISL to connect the two existing switches to the new switch.
- C. Shut down one of the existing switches and recable with the new switch.
- D. Attach the new switch to the least critical device port and recable the SAN.

**Answer: D**

7. What is required to consolidate two fabrics with B-Series switches in a Meta SAN with some common storage? Select TWO.

- A. MP Router
- B. fabric merge

- C. proxy devices
- D. proxy switches
- E. unique domain IDs

**Answer: AC**

8. Which PID formats use the same PIDs for a port?

- A. native and core
- B. VC encoded and native
- C. core and extended edge
- D. native and extended edge

**Answer: D**

9. What is a typical consequence when you migrate a cascaded to a meshed fabric?

- A. average hop count increases
- B. number of user ports decreases
- C. ISL latency affects data throughput
- D. number of device paths does not change

**Answer: B**

10. Why is it important to secure the WWNs in the storage environment?

- A. to disable WWN spoofing attacks from FCAs
- B. to allow safe promiscuous mode on FC ports
- C. to prevent FC ports from entering promiscuous mode
- D. to harden the name service in the fabric for security reasons

**Answer: A**

11. What is the definition of "User Port" in switch configurations?

- A. any port on a switch available for hosts
- B. any port on a switch available for storage systems
- C. any port on a switch where hosts and storage systems are connected

D. any port of a switch where hosts, storage systems, and ISLs are connected

**Answer: C**

12. What is NOT an important security foundation for IT environments?

- A. security audits at regular time intervals
- B. a secure area for the systems in the security domain
- C. remote access for management and monitoring
- D. defined security policies for a defined security domain

**Answer: C**

13. What is an advantage of WWN spoofing?

- A. You can remotely change FCA settings on SAN hosts.
- B. You can configure zones in-band from any attached FCA.
- C. You do not need to reconfigure the WWN based SAN security after an FCA failure.
- D. The FCA automatically reconfigures the WWN based SAN security after an FCA failure.

**Answer: C**

14. What should the security manager do if there are data paths between security domains?

- A. Disable any data path between the domains.
- B. Approve any potential paths between domains.
- C. Nothing. Between the domains, all data is safe.
- D. Implement data encryption on paths between domains.

**Answer: B**

15. Which zoning type must be used in a heterogeneous fabric with M- and B- Series switches?

- A. VSAN zoning
- B. name server zoning
- C. fabric address zoning
- D. domain-port-area zoning

**Answer: B**

Visualexams.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially Adobe, Apple, Citrix, Comptia, EMC, HP, HuaWei, LPI, Nortel, Oracle, SUN, Vmware and so on. And help you pass any IT Certification exams at the first try.

Web site: <http://www.visualexams.com>

You can reach us at any of the email addresses listed below.

E-Mail: [visualexams \(at\) hotmail.Com](mailto:visualexams@hotmail.com)