

Exam : HP HP0-752

Title : ProCurve Mobility

Version : Demo

Important Note, Please Read Carefully

Other VisualExams products

[All visual exams IT Exam Products](#)

Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[visual exams Testing Engine](#)

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at VisualExams and update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to <http://www.visual exams.com/>
2. Log in the **User Center**
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you spot a possible improvement then please let us know. We always interested in improving product quality.

Feedback should be send to Visual exams@hotmail.com. You should include the following: Exam number, version, page number, question number, and your login Account.

Our experts will answer your mail promptly.

Explanations

This product does not include explanations at the moment. If you are interested in providing explanations for this exam, please contact Visual exams@hotmail.com.

Features

- Comprehensive questions with complete details
- Instant Downloadable in PDF form.
- Verified Answers Researched by Industry Experts
- Questions accompanied by exhibits.
- Drag and Drop questions as experienced in the Actual Exams.
- These questions and answers are backed by our GUARANTEE.
- Questions updated on regular basis.
- Like actual certification exams our product is in multiple-choice questions (MCQs)

Commitment to Your Success: At VisualTestExam.com, we are committed to you ongoing success. Our exams and questions are constantly being updated and compared to industry standards.

Want to earn a Microsoft certification like MCSE, MCSE 2003, CCNA, CCNP? Thinking about getting an A+ or CCSP?

A, CCSP or Network+ Certification with less effort and time. You will be astonished at the theoretical and practical knowledge you will acquire in such a short period of time using our Certification Training Products. Our Study material will enable you to pass your Microsoft, Your Cisco and any other certification on the very first attempt.

Guarantee

Visualexams provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if somehow you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

1. When does supplemental authentication occur?

- A. after both the open-key 802.11 authentication and the 802.11 association are completed successfully
- B. after both the shared-key 802.11 authentication and the 802.11 association are completed successfully
- C. after the open-key 802.11 authentication is completed successfully but before the 802.11 association process begins
- D. after the shared-key 802.11 authentication is completed successfully but before the 802.11 association process begins

Answer: A

2. Which statement describes a closed system?

- A. In a closed system, the wireless network name is encrypted in the 802.11 header.
- B. In a closed system, the wireless network name cannot be detected in any 802.11 frames.
- C. In a closed system, the wireless network name is not advertised in the 802.11 beacon frame.
- D. In a closed system, the wireless network name is not included in the header of any 802.11 frames.

Answer: C

3. Which statements describe 802.11a? (Select two.)

- A. It interferes with 802.11b/g.
- B. It requires support for 802.11h in Europe.
- C. It experiences interference from microwaves.
- D. It has higher data rates than 802.11b.
- E. It was the first adopted and most widely used standard.

Answer: BD

4. You configure two access points (APs) to support a single wireless LAN (WLAN). One station associates with one AP, and one station associates with the other AP. What do the two stations have in common?

- A. wireless cell
- B. service set identifier (SSID)
- C. basic service set identifier (BSSID)
- D. independent basic service set identifier (IBSSID)

Answer: B

5. In which mode does the ProCurve Access Point (AP) 420 operate?

- A. mixed-cell mode
- B. in-cell relay mode
- C. peer-to-peer mode
- D. infrastructure mode

Answer: D

6. ProCurve Mobility Infrastructure Solutions help you meet the challenges posed by a wireless network (as compared to a traditional wired network). What is one of these challenges?

- A. 802.11 standards do not provide any guidelines for Layer 2 roaming.
- B. Studies have found that users tend to be less productive when they have mobile access to a network.
- C. Multiple users connect to the network through the same access point (AP), but access must be customized for each user.
- D. 802.11 standards do not provide any encryption, so you must create virtual private network (VPN) tunnels to each end station.

Answer: C

7. What is one reason to choose ProCurve's Wireless LAN System over its standalone AP solution?

- A. Your network requires many wireless devices that are managed from a central location.
- B. You need your wireless network solution to provide RADIUS services.
- C. Your network requires Layer 3 roaming and advanced authentication options.
- D. You want to manage your wireless network using ProCurve Manager (PCM) Plus.

Answer: A

8. When configuring a Wireless LAN (WLAN) on the ProCurve Wireless Edge Services xl Module, you can use Normal mode or Advanced mode. Why would you use Advanced mode, rather than Normal mode?

- A. You want to configure 16 WLANs.
- B. You want to customize the transmit power for only one RP.
- C. You want one WLAN to be supported on only one of the RPs.

D. You want the adopted Radio Ports (RPs) to beacon a WLAN that has an index number of 4.

Answer: C

9. Which ProCurve Wireless LAN System feature protects your company if a Radio Port (RP) fails?

- A. redundancy group
- B. network self-healing
- C. interference avoidance
- D. radio frequency (RF) patching

Answer: B

10. Which statement describes a ProCurve Radio Port (RP)?

- A. If you change an RP's configuration, you must always reload the RP before that configuration can take effect.
- B. When the RP receives a wireless frame, it removes the 802.11 header and replaces it with an Ethernet header.
- C. When the RP receives wireless traffic from stations, it encapsulates that traffic before sending it to the Wireless Edge Services xl Module.
- D. After receiving a configuration from the Wireless Edge Services xl Module, the RP saves that configuration to its internal flash.

Answer: C

11. Which type of message does a Radio Port (RP) transmit so that a ProCurve Wireless Edge Services xl Module can detect it on the network?

- A. Inter-Access Point Protocol (IAPP)
- B. Address Resolution Protocol (ARP)
- C. Link Layer Discovery Protocol (LLDP)
- D. Internet Control Message Protocol (ICMP)

Answer: C

12. A company installs the ProCurve Wireless LAN System and requires two Radio Ports (RPs) for the cafeteria. One RP must be installed outside and one RP must be installed inside. Both RPs must support

802.11a, b, and g. Which RPs should the company purchase?

- A. two RP 210s
- B. one RP 220 and one RP 230
- C. one RP 220 and one RP 210
- D. one RP 230 and one RP 210


Answer: B

13. You connect a Radio Port (RP) to a ProCurve Switch 2600-PWR Series, which is connected to a wireless services-enabled switch. On the 2600-PWR Switch, port 5 connects to the RP, and port 1 connects to the wireless services-enabled switch. The 2600-PWR Switch is sending traffic from other VLANs to the wireless services-enabled switch. Which commands must you enter on the 2600-PWR Switch to enable the Wireless Module to detect the RP? (Select two.)

- A. vlan 2100 tagged 1
- B. vlan 2100 tagged 5
- C. vlan 2100 untagged 5
- D. vlan 2100 untagged 1
- E. autoprovisioning enable

Answer: AC

14. Click the Exhibit button.



Which channel should you select for the cell with the question mark?

- A. 4

- B. 6
- C. 8
- D. 10
- E. 12

Answer: B

15. Which virtual LAN (VLAN) or VLANs are automatically created on the wireless services-enabled switch if auto-provisioning is enabled?

- A. Radio Port VLAN
- B. the VLAN assigned to WLAN 1
- C. any dynamic VLAN assigned to wireless users
- D. any VLAN created on the Wireless Edge Services xl Module

Answer: A

16. Which steps should you take during a site survey to test the coverage provided by access points (APs) or Radio Ports (RPs)? (Select two.)

- A. Analyze the signal to noise ratio (SNR) at different hours of operation.
- B. Set up wireless bridges between the APs to ensure that they can reach each other.
- C. Configure encryption keys and attempt to crack them using readily-available software.
- D. Look for areas of overlap between nearby cells and set overlapping cells to different channels.
- E. Compare the coverage provided by an RP 210 and an RP 230, and decide between the products.

Answer: AD

17. For which scenario might you recommend the use of 802.11 pure-g mode?

- A. a public wireless network for customers and contractors
- B. an environment with potential interference from military radar
- C. a controlled environment with the latest high-tech equipment
- D. a wireless network that carries sensitive financial information

Answer: C


18. Ten stations are associated to a ProCurve Access Point (AP) 530 radio, and all are downloading data.

Each station is operating at the 54 Mbps data rate. What average throughput can any individual user most realistically expect?

- A. 2 Mbps
- B. 6 Mbps
- C. 27 Mbps
- D. 54 Mbps

Answer: A

19. Click the Exhibit button.



The ProCurve Radio Port (RP) shown in the exhibit has not been adopted by the Wireless Edge Services xl Module. What could be the reason?

- A. The Wireless Edge Services xl Module runs rogue AP detection.
- B. The switch port that connects to the RP enforces 802.1X authentication.
- C. The switch port that connects to the RP should be tagged for VLAN 2100.
- D. The Wireless Module's internal uplink port should be untagged for VLAN 2100.

Answer: B

20. Your company is setting up a wireless network using a ProCurve Access Point (AP) 420. Users throughout the building complain that they cannot see the name for your wireless network in their wireless client utilities. You ping the AP 420 and receive a response. What might be the problem? (Select two.)

- A. The AP's country code has not been set.
- B. The AP has failed to boot.

- C. The AP uses a different security option than the users' stations do.
- D. The AP operates in open system, but users' stations operate in closed system.
- E. The AP's radio has been dedicated to AP detection.

Answer: AE

Visualexams.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially Adobe, Apple, Citrix, Comptia, EMC, HP, HuaWei, LPI, Nortel, Oracle, SUN, Vmware and so on. And help you pass any IT Certification exams at the first try.

Web site: <http://www.visualexams.com>

You can reach us at any of the email addresses listed below.

E-Mail: [visualexams \(at\) hotmail.Com](mailto:visualexams@hotmail.com)