

Exam : Redhat RH202

**Title : Redhat Certified Technician
on Redhat Enterprise Linux
4 (Labs)**

Version : Demo

Important Note, Please Read Carefully

Other VisualExams products

[All visual exams IT Exam Products](#)

Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[visual exams Testing Engine](#)

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at VisualExams and update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to <http://www.visual exams.com/>
2. Log in the **User Center**
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you spot a possible improvement then please let us know. We always interested in improving product quality.

Feedback should be send to visual exams@hotmail.com. You should include the following: Exam number, version, page number, question number, and your login Account.

Our experts will answer your mail promptly.

Explanations

This product does not include explanations at the moment. If you are interested in providing explanations for this exam, please contact visual exams@hotmail.com.

Features

- Comprehensive questions with complete details
- Instant Downloadable in PDF form.
- Verified Answers Researched by Industry Experts
- Questions accompanied by exhibits.
- Drag and Drop questions as experienced in the Actual Exams.
- These questions and answers are backed by our GUARANTEE.
- Questions updated on regular basis.
- Like actual certification exams our product is in multiple-choice questions (MCQs)

Want to earn a Microsoft certification like [MCSE](#), [MCSE 2003](#), [CCNA](#), [CCNP](#)? Thinking about getting an [A+](#) or [CCSP](#)?

A, [CCSP](#) or [Network+](#) Certification with less effort and time. You will be astonished at the theoretical and practical knowledge you will acquire in such a short period of time using our Certification Training Products. Our Study material will enable you to pass your [Microsoft](#), Your [Cisco](#) and any other certification on the very first attempt.

Guarantee

Visualexams provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

1. Change the root Password to redtophat

Answer:

1. Boot the system in Single user mode

2. Use the passwd command

2. Dig Server1.example.com, Resolve to successfully through DNS Where DNS server is 172.24.254.254

Answer:

```
#vi /etc/resolv.conf
```

```
nameserver 172.24.254.254
```

```
# dig server1.example.com
```

```
#host server1.example.com
```

DNS is the Domain Name System, which maintains a database that can help your computer translate domain names such as www.redhat.com to IP addresses such as 216.148.218.197. As no individual DNS server is large enough to keep a database for the entire Internet, they can refer requests to other DNS servers.

DNS is based on the named daemon, which is built on the BIND (Berkeley Internet Name Domain) package developed through the Internet Software Consortium

Users wants to access by name so DNS will interpret the name into ip address. You need to specify the Address if DNS server in each and every client machine. In Redhat Enterprise Linux, you need to specify the DNS server into /etc/resolv.conf file.

After Specifying the DNS server address, you can verify using host, dig and nslookup commands.

3. Create the partition having 100MB size and mount it on /mnt/neo

Answer:

1. Use fdisk /dev/hda To create new partition.

2. Type n For New partitions

3. It will ask for Logical or Primary Partitions. Press l for logical.

4. It will ask for the Starting Cylinder: Use the Default by pressing Enter Key.

5. Type the Size: +100M You can Specify either Last cylinder of Size here.

6. Press P to verify the partitions lists and remember the partitions name.

7. Press w to write on partitions table.
8. Either Reboot or use partprobe command.
9. Use mkfs -t ext3 /dev/hda? ->Where ? is your partition number
10. Or
11. mke2fs -j /dev/hda? To create ext3 filesystem.
12. mkdir /mnt/neo
13. vi /etc/fstab
14. Write:
15. /dev/hda? /mnt/neo ext3 defaults 1 2
16. Verify by mounting on current Sessions also:
17. mount /dev/hda? /mnt/neo

4. Your System is going use as a router for 172.24.0.0/16 and 172.25.0.0/16. Enable the IP Forwarding.

Answer:

1. echo "1" >/proc/sys/net/ipv4/ip_forward
 2. vi /etc/sysctl.conf
- ```
net.ipv4.ip_forward=1
```

/proc is the virtual filesystem, containing the information about the running kernel. To change the parameter of running kernel you should modify on /proc. From Next reboot the system, kernel will take the value from /etc/sysctl.conf.

5. Some users home directory is shared from your system. Using showmount -e localhost command, the shared directory is not shown. Make access the shared users home directory.

**Answer:**

1. Verify the File whether Shared or not ? : cat /etc/exports
2. Start the nfs service: service nfs start
3. Start the portmap service: service portmap start
4. Make automatically start the nfs service on next reboot: chkconfig nfs on
5. Make automatically start the portmap service on next reboot: chkconfig portmap on
6. Verify either sharing or not: showmount -e localhost

7. Check that default firewall is running on system ? if running flush the iptables using iptables -F and stop the iptables service.

6. neo user tried by:

```
dd if=/dev/zero of=/home/neo/somefile bs=1024 count=70
```

files created successfully. Again neo tried to create file having 70K using following command:

```
dd if=/dev/zero of=/home/neo/somefile bs=1024 count=70
```

But he is unable to create the file. Make the user can create the file less than 70K.

**Answer:**

Very Tricky question from redhat. Actually question is giving scenario to you to implement quota to neo user.

You should apply the quota to neo user on /home that neo user shouldn't occupied space more than 70K.

1. vi /etc/fstab

```
LABEL=/home /home ext3 defaults,usrquota 0 0 ->
```

To enable the quota on filesystem you should mount the filesystem with usrquota for user quota and grpquota for group quota.

2. touch /home/aquota.user-> Creating blank quota database file.

3. mount -o remount /home -> Remounting the /home with updated mount options.

You can verify that /home is mounted with usrquota options or not using mount command.

4. quotacheck -u /home -> Initialization the quota on /home

5. edquota -u neo /home-> Quota Policy editor

See the snapshot

1 Disk quotas for user neo (uid 500):

2 Filesystem blocks soft hard inodes soft hard

```
4 /dev/mapper/vo-myvol 2 30 70 1 0 0
```

Can you set the hard limit 70 and soft limit as you think like 30.

Verify using the repquota /home command.

7. One Logical Volume is created named as myvol under vo volume group and is mounted. The Initial Size of that Logical Volume is 124MB. Make successfully that the size of Logical Volume 245MB without losing any data. The size of logical volume 240MB to 255MB will be acceptable.

**Answer:**

1. First check the size of Logical Volume: `lvdisplay /dev/vg/myvol`
2. Increase the Size of Logical Volume: `lvextend -L+121M /dev/vg/myvol`
3. Make Available the size on online: `resize2fs /dev/vg/myvol`
4. Verify the Size of Logical Volume: `lvdisplay /dev/vg/myvol`
5. Verify that the size comes in online or not: `df -h`

We can extend the size of logical Volume using the `lvextend` command. As well as to decrease the size of Logical Volume, use the `lvresize` command. In LVM v2 we can extend the size of Logical Volume without unmount as well as we can bring the actual size of Logical Volume on online using `ext2online` command.

8. Quota is implemented on `/data` but not working properly. Find out the Problem and implement the quota to user1 to have a soft limit 60 inodes (files) and hard limit of 70 inodes (files).

**Answer:**

Quotas are used to limit a user's or a group of users' ability to consume disk space. This prevents a small group of users from monopolizing disk capacity and potentially interfering with other users or the entire system. Disk quotas are commonly used by ISPs, by Web hosting companies, on FTP sites, and on corporate file servers to ensure continued availability of their systems.

Without quotas, one or more users can upload files on an FTP server to the point of filling a filesystem. Once the affected partition is full, other users are effectively denied upload access to the disk. This is also a reason to mount different filesystem directories on different partitions. For example, if you only had partitions for your root (`/`) directory and swap space, someone uploading to your computer could fill up all of the space in your root directory (`/`). Without at least a little free space in the root directory (`/`), your system could become unstable or even crash.

You have two ways to set quotas for users. You can limit users by inodes or by kilobytesized disk blocks. Every Linux file requires an inode. Therefore, you can limit users by the number of files or by absolute space. You can set up different quotas for different filesystems. For example, you can set different quotas for users on the `/home` and `/tmp` directories if they are mounted on their own partitions.

Limits on disk blocks restrict the amount of disk space available to a user on your system.

Older versions of Red Hat Linux included LinuxConf, which included a graphical tool to configure quotas. As of this writing, Red Hat no longer has a graphical quota configuration tool. Today, you can configure quotas

on RHEL only through the command line interface.

1. vi /etc/fstab/dev/hda 11 /data ext3 defaults,usrquota 1 2

2. Either Reboot the System or remount the partition.

Mount -o remount /dev/hda11 /data

3. touch /data/aquota.user

4. quotacheck -ufm /data

5. quotaon -u /data

6. edquota -u user1 /data and Specified the Soft limit and hard limit on opened file.

To verify either quota is working or not:

Soft limit specify the limit to generate warnings to users and hard limit can't cross by the user. Use the quota command or repquota command to monitor the quota information.

9. One Logical Volume named lv1 is created under vg0. The Initial Size of that Logical Volume is 100MB. Now you required the size 500MB. Make successfully the size of that Logical Volume 500M without losing any data. As well as size should be increased online.

**Answer:**

The LVM system organizes hard disks into Logical Volume (LV) groups. Essentially, physical hard disk partitions (or possibly RAID arrays) are set up in a bunch of equalsized chunks known as Physical Extents (PE). As there are several other concepts associated with the LVM system, let's start with some basic definitions:

? Physical Volume (PV) is the standard partition that you add to the LVM mix.

Normally, a physical volume is a standard primary or logical partition. It can also be a RAID array.

? Physical Extent (PE) is a chunk of disk space. Every PV is divided into a number of equal sized PEs. Every PE in a LV group is the same size. Different LV groups can have different sized PEs.

? Logical Extent (LE) is also a chunk of disk space. Every LE is mapped to a specific PE.

? Logical Volume (LV) is composed of a group of LEs. You can mount a filesystem such as /home and /var on an LV.

? Volume Group (VG) is composed of a group of LVs. It is the organizational group for LVM. Most of the commands that you'll use apply to a specific VG.

1. Verify the size of Logical Volume: lvdisplay /dev/vg0/lv1

2. Verify the Size on mounted directory: `df -h` or `df -h` mounted directory name
3. Use : `lvextend -L+400M /dev/vg0/lv1`
4. `resize2fs /dev/vg0/lv1` to bring extended size online.
5. Again Verify using `lvdisplay` and `df -h` command.

10. Create one partitions having size 100MB and mount it on /data.

**Answer:**

1. Use `fdisk /dev/hda->` To create new partition.
2. Type `n->` For New partitions
3. It will ask for Logical or Primary Partitions. Press `l` for logical.
4. It will ask for the Starting Cylinder: Use the Default by pressing `Enter` Key.
5. Type the Size: `+100M->` You can Specify either Last cylinder of Size here.
6. Press `P` to verify the partitions lists and remember the partitions name.
7. Press `w` to write on partitions table.

8. Either Reboot or use `partprobe` command.

9. Use `mkfs -t ext3 /dev/hda?`

Or

`mke2fs -j /dev/hda?->` To create ext3 filesystem.

10. `vi /etc/fstab`

Write:

`/dev/hda? /data ext3 defaults 1 2`

11. Verify by mounting on current Sessions also:

`mount /dev/hda? /data`

Visualexams.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially Adobe, Apple, Citrix, Comptia, EMC, HP, HuaWei, LPI, Nortel, Oracle, SUN, Vmware and so on. And help you pass any IT Certification exams at the first try.

Web site: <http://www.visualexams.com>

You can reach us at any of the email addresses listed below.

E-Mail: [visualexams \(at\) hotmail.Com](mailto:visualexams@hotmail.com)