

Exam : EMC E20-580

**Title : Storage Management
Specialist Exam**

Version : Demo

Important Note, Please Read Carefully

Other VisualExams products

[All visual exams IT Exam Products](#)

Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[visual exams Testing Engine](#)

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at VisualExams and update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to <http://www.visual exams.com/>
2. Log in the **User Center**
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you spot a possible improvement then please let us know. We always interested in improving product quality.

Feedback should be send to Visual exams@hotmail.com. You should include the following: Exam number, version, page number, question number, and your login Account.

Our experts will answer your mail promptly.

Explanations

This product does not include explanations at the moment. If you are interested in providing explanations for this exam, please contact Visual exams@hotmail.com.

Features

- Comprehensive questions with complete details
- Instant Downloadable in PDF form.
- Verified Answers Researched by Industry Experts
- Questions accompanied by exhibits.
- Drag and Drop questions as experienced in the Actual Exams.
- These questions and answers are backed by our GUARANTEE.
- Questions updated on regular basis.
- Like actual certification exams our product is in multiple-choice questions (MCQs)

Commitment to Your Success: At VisualTestExam.com, we are committed to your ongoing success. Our exams and questions are constantly being updated and compared to industry standards.

Want to earn a Microsoft certification like MCSE, MCSE 2003, CCNA, CCNP? Thinking about getting an A+ or CCSP?

A, CCSP or Network+ Certification with less effort and time. You will be astonished at the theoretical and practical knowledge you will acquire in such a short period of time using our Certification Training Products. Our Study material will enable you to pass your Microsoft, Your Cisco and any other certification on the very first attempt.

Guarantee

Visualexams provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if somehow you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

1. What are two [2] features of ControlCenter SAN Manager?

- A. Ability to run ControlCenter in a secure fabric for DATA, Cisco and Brocade fabrics
- B. Discovery and monitoring of storage networks and their components to detect and respond to error conditions
- C. Assisted Discovery feature to assist ControlCenter agents that do not perform automated discovery of switches
- D. Ability to manage and zone DATA/Connectrix, Brocade, QLogic and Cisco switches, as well as mixed fabrics, including the ability to import active/inactive zoning elements during discovery

Answer: BC

2. A User creates a temporary file that causes the free space on a volume to drop below a trigger value. As the storage admin you may want to know about the condition only if the free space remains low for several hours and not when it temporarily dips. How do you implement this through ControlCenter?

- A. Disable Severity level
- B. Disable Alert Definition
- C. Change severity thresholds
- D. Change the efore settings

Answer: D

3. Click the Exhibit button.

On the Alerts View shown, the storage administrator has received several alerts from ControlCenter regarding the power subsystem on Symmetrix 000183600408. Which action was taken?

Option Name	Message	Created
000183600408	Power Subsystem Error 24V...	06/07/2002 18:13:00
000183600408	Power Subsystem Error 24V...	06/07/2002 18:10:00
000183600408	Power Subsystem Error - S...	06/07/2002 18:06:00
000183600408	Power Subsystem Error 24V...	06/07/2002 18:00:00
000183600408	Power Subsystem Error 24V...	06/07/2002 17:38:00
000183600408	The Service Processor coul...	06/12/2002 14:02:00
001	RAID device not ready - 0001...	06/07/2002 15:42:00
01E	RAID device not ready - 0001...	06/07/2002 15:18:00
03D	RAID device not ready - 0001...	06/07/2002 17:56:00
03D	Volume not ready - 00018360...	06/07/2002 16:20:00
Agent-LOSBC105...	Symmetrix Agent agent has ...	06/12/2002 10:27:04
Agent-I OSRF105...	MGA agent has become inac...	06/12/2002 10:27:04
Agent-WANG124...	Storage Agent for CLARION ...	06/07/2002 13:45:10

- A. A note was attached
- B. The alert was cleared
- C. An autofix was executed
- D. The severity level changed to 4

Answer: A

4. What are the two [2] main report categories in the StorageScope main screen?

- A. Chargeback
- B. Infrastructure
- C. Billed customers
- D. Allocated storage
- E. Service consumers

Answer: BE

5. In a Fibre Channel switched environment, which two [2] activities should you perform after completing an SDR operation? Assume that zoning is already configured.

- A. Perform LUN masking
- B. Set the new device state to pot Ready
- C. Set the new device state to "Write Disabled"
- D. Reconfigure the hosts to recognize the new devices that are available for access

Answer: AD

6. Which three [3] items can be configured in a VisualSRM Report Job?

- A. List of Reports
- B. Report output format
- C. Threshold trigger levels
- D. Data gathering schedule
- E. Report generation schedule

Answer: ABE

7. Which UNIX host software component is required to support push-install of the VisualSRM Agent?

- A. Perl
- B. Secure Shell (ssh)
- C. Java (version 1.4 or above)
- D. File Transfer Protocol (FTP)

Answer: B

8. The CIO wants you to create a Windows 2000 server storage allocation report. Your default server allocation report includes all server types (Windows 2000, AIX, Solaris). How would you create a Windows 2000 only report?

- A. Highlight all Windows 2000 servers and launch StorageScope reports
- B. Run All Host reports with a filtering on the Operation Systems Column that excludes "AIX" servers
- C. Create a filter that contains "Windows 2000" in the Operating System Column in your All Host reports.
- D. From the StorageScope Home Page select the Operating Systems Report, then create a filter on the Operating System Column that equals Windows 2000

Answer: C

9. Click the Exhibit button.

On the sample Enterprise Storage window shown, what does the capital "U" icon next to Host "UNIX2" indicate?



- A. Undefined
- B. Unavailable
- C. Unmanaged
- D. Unreachable

Answer: C

10. Click the Exhibit button.

On the Navisphere GUI Disk Summary window shown, what does "Enabled" state indicate about a CLARiiON disk?

Disk	State	Raw Capacity	User Capacity	LUN ID	LUN Type
Bus 0 Enclosure ...	Unbound	35.458 GB	0.000 GB	N/A	N/A
Bus 0 Enclosure ...	Unbound	35.458 GB	0.000 GB	N/A	N/A
Bus 0 Enclosure ...	Unbound	35.458 GB	0.000 GB	N/A	N/A
Bus 0 Enclosure ...	Unbound	35.458 GB	0.000 GB	N/A	N/A
Bus 0 Enclosure ...	Enabled	35.458 GB	0.268 GB	0xidf	RAID 1/0
Bus 0 Enclosure ...	Enabled	35.458 GB	0.268 GB	0xidf	RAID 1/0
Bus 0 Enclosure ...	Enabled	35.458 GB	0.268 GB	0xidf	RAID 1/0
Bus 0 Enclosure ...	Enabled	35.458 GB	0.268 GB	0xidf	RAID 1/0
Bus 0 Enclosure ...	Unbound	35.458 GB	0.000 GB	N/A	N/A
Bus 1 Enclosure ...	Unbound	35.458 GB	0.000 GB	N/A	N/A
Bus 1 Enclosure ...	Unbound	35.458 GB	0.000 GB	N/A	N/A
Bus 1 Enclosure ...	Unbound	35.458 GB	0.000 GB	N/A	N/A
Bus 1 Enclosure ...	Unbound	35.458 GB	0.000 GB	N/A	N/A
Bus 1 Enclosure ...	Unbound	35.458 GB	0.000 GB	N/A	N/A
Bus 1 Enclosure ...	Unbound	35.458 GB	0.000 GB	N/A	N/A
Bus 1 Enclosure ...	Empty	0.000 GB	0.000 GB	N/A	N/A
Bus 1 Enclosure ...	Empty	0.000 GB	0.000 GB	N/A	N/A
Bus 1 Enclosure ...	Empty	0.000 GB	0.000 GB	N/A	N/A
Bus 1 Enclosure ...	Empty	0.000 GB	0.000 GB	N/A	N/A

- A. Not part of a RAID group
- B. Populated in the storage system
- C. Part of a RAID group and has one or more LUNs bound on it
- D. Part of a RAID group but has no LUNs that have been bound on it

Answer: C

11. Which two [2] functions does the ControlCenter Server perform within a ControlCenter configuration?

- A. Processes data requests from the console
- B. Allows you to install sub-agents on managed hosts
- C. Processes ControlCenter Repository maintenance tasks
- D. Manages all communication between the Store and the Repository

Answer: AB

12. Which cluster configuration is supported for the installation of ControlCenter components?

- A. Active/Active dual node
- B. Active/Active single node
- C. Active/Passive dual node
- D. Active/Passive single node

Answer: C

13. If devices appear as unknown in VisualSAN, which item describes the probable cause?

- A. The array port has failed
- B. The host agent is not running
- C. SNMP is not enabled on the device
- D. The wrong IP address was entered during configuration

Answer: C

14. Which three [3] items are features of EMC VisualSRM?

- A. Autofixes
- B. Snapshots
- C. Thresholds
- D. Intelligent Actions
- E. Topology Reports

Answer: BCD

15. You have a host system that cannot have agents installed. You want to use ControlCenter to create a Host object and associate an unidentified port on a switch with it for zoning and masking. How do you accomplish this task?

- A. In the Topology view, select Action, New <OS type> Host. The Create Host wizard appears with the selected host operating system as context
- B. In the Unidentified Port folder, right click on the port and select "assign port". When the wizard launches, select the host on which the HBA resides
- C. In the Relationship-Host view, right-click the pane and select New <OS type> Host. The Create Host wizard appears with the selected host operating system as context
- D. In the ControlCenter tree panel, right-click the Hosts folder, and select New, <OS type> Host. Enter the host name and select the Unidentified port to associate to this new object

Answer: D

16. A VisualSRM Database report fails to run. After verifying that the database exists and that the agent is properly installed, which three [3] tasks should you perform?

- A. Check Event log
- B. Check scan policy
- C. Check alert settings
- D. Check ODBC Data Sources
- E. Check VSRM Console login permissions

Answer: ABD

17. Which three [3] types of configuration change does ControlCenter support for a Symmetrix array?

- A. Port flag settings
- B. Change device emulation
- C. Device protection definition
- D. SRDF device type definition
- E. Restrict access to the VCMDB device

Answer: ACD

18. You want to use ControlCenter to monitor and manage CLARiiON in your SAN environment. Which two [2] host requirements must be met in order to install your Storage Agent for CX series CLARiiON?

- A. IP connection to the CLARiiON array
- B. In-band connection to the CLARiiON array
- C. NaviCLI installed on host with the Storage Agent for CLARiiON
- D. NaviCLI installed on host with Storage Agent for CLARiiON running in Proxy Mode

Answer: AC

19. Which three [3] Microsoft Exchange items can you report on in VisualSRM?

- A. Exchange Personal Folders
- B. Private/Public Email Folders
- C. Individual email message size
- D. Number of Exchange subfolders
- E. Exchange Server consumed storage space

Answer: BDE

20. Host Managed Objects in the console are created when a Master Agent is installed on the host and started. What is another way that a Host Managed Object can appear in a ControlCenter Console?

- A. Host Agent Installation
- B. Connectivity Discovery
- C. ESN Manager Migration
- D. Assisted Discovery of an array

Answer: C

Visualexams.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially Adobe, Apple, Citrix, Comptia, EMC, HP, HuaWei, LPI, Nortel, Oracle, SUN, Vmware and so on. And help you pass any IT Certification exams at the first try.

Web site: <http://www.visualexams.com>

You can reach us at any of the email addresses listed below.

E-Mail: [visualexams \(at\) hotmail.Com](mailto:visualexams@hotmail.com)