

Exam : Juniper Networks JN0-330

**Title : Enhanced Services,
Specialist (JNCIS-ES)**

Version : Demo

Important Note, Please Read Carefully

Other VisualExams products

[All visual exams IT Exam Products](#)

Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[visual exams Testing Engine](#)

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at VisualExams and update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to <http://www.visual exams.com/>
2. Log in the **User Center**
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you spot a possible improvement then please let us know. We always interested in improving product quality.

Feedback should be send to Visual exams@hotmail.com. You should include the following: Exam number, version, page number, question number, and your login Account.

Our experts will answer your mail promptly.

Explanations

This product does not include explanations at the moment. If you are interested in providing explanations for this exam, please contact Visual exams@hotmail.com.

Features

- Comprehensive questions with complete details
- Instant Downloadable in PDF form.
- Verified Answers Researched by Industry Experts
- Questions accompanied by exhibits.
- Drag and Drop questions as experienced in the Actual Exams.
- These questions and answers are backed by our GUARANTEE.
- Questions updated on regular basis.
- Like actual certification exams our product is in multiple-choice questions (MCQs)

Commitment to Your Success: At VisualTestExam.com, we are committed to you ongoing success. Our exams and questions are constantly being updated and compared to industry standards.

Want to earn a Microsoft certification like MCSE, MCSE 2003, CCNA, CCNP? Thinking about getting an A+ or CCSP?

A, CCSP or Network+ Certification with less effort and time. You will be astonished at the theoretical and practical knowledge you will acquire in such a short period of time using our Certification Training Products. Our Study material will enable you to pass your Microsoft, Your Cisco and any other certification on the very first attempt.

Guarantee

Visualexams provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if somehow you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

1. Click the Exhibit button.

The router creates a log message with the daemon facility and info level.

Given the configuration in the exhibit, which three statements are true? (Choose three.)

```
[edit system syslog]
```

```
lab@Denver# show
```

```
user * {  
    any emergency;  
}
```

```
host 192.168.1.1 {  
    any any;  
    explicit-priority;  
}
```

```
file messages {  
    any any;  
    authorization info;  
    daemon emergency;  
}
```

```
file special {  
    daemon any;  
    interactive-commands any;  
    explicit-priority;  
}
```

- A. The severity level will appear in the log message.
- B. The message will be stored in the local file special.
- C. The message will be stored in the local file messages.
- D. The message will be sent to the syslog server at 192.168.1.1.
- E. The message will be displayed on the CLI sessions of all users that are logged in.

Answer: ABD

2. Which type of zone is used by traffic transiting the device?

- A. transit zone
- B. default zone
- C. security zone
- D. functional zone

Answer: C

3. Which two statements about the use of SCREEN options are correct? (Choose two.)

- A. SCREEN options offer protection against various attacks.
- B. SCREEN options are deployed prior to route and policy processing.
- C. SCREEN options are deployed at the ingress and egress sides of a packet flow.
- D. When you deploy SCREEN options, you must take special care to protect OSPF.

Answer: AB

4. Which two policy actions are valid? (Choose two.)

- A. NAT
- B. ALG application
- C. IP options setting
- D. firewall authentication

Answer: AD

5. Which three methods of source NAT does the JUNOS software with enhanced services support? (Choose three.)

- A. interface-based source NAT
- B. source NAT with overflow pool
- C. source NAT using static source pool
- D. interface-based source NAT without PAT
- E. source NAT with static source pool and PAT

Answer: ABC

6. Which two statements regarding asymmetric key encryption are true? (Choose two.)

- A. The same key is used for encryption and decryption.
- B. It is commonly used to create digital certificate signatures.
- C. It uses two keys: one for encryption and a different key for decryption.
- D. An attacker can decrypt data if the attacker captures the key used for encryption.

Answer: BC

7. You must configure a policy-based VPN.

Which command causes traffic to be sent through an IPSec VPN named remote-vpn?

[edit security policies from-zone trust to-zone untrust]

user@host# show

policy tunnel-traffic {

 match {

 source-address local-net;

 destination-address remote-net;

 application any;

 then {

 permit;

 }

}

A. [edit security policies from-zone trust to-zone untrust]

user@host# set policy tunnel-traffic then tunnel remote-vpn

B. [edit security policies from-zone trust to-zone untrust]

user@host# set policy tunnel-traffic then tunnel ipsec-vpn remote-vpn

C. [edit security policies from-zone trust to-zone untrust]

user@host# set policy tunnel-traffic then permit ipsec-vpn remote-vpn

D. [edit security policies from-zone trust to-zone untrust]

Answer: D

8. Click the Exhibit button.

In the exhibit, what is the priority for Router B in VRRP group 100?

Router A:

[edit]

```
user@RouterA# show interfaces ge-0/0/1
```

```
unit 0 {  
  family inet {  
    address 192.168.1.253/24 {  
      vrrp-group 100 {  
        virtual-address 192.168.1.1;  
        priority 110;  
        no-preempt;  
      }  
    }  
  }  
}
```

Router B:

[edit]

```
user@RouterB# show interfaces ge-0/0/1
```

```
unit 0 {  
  family inet {  
    address 192.168.1.254/24 {  
      vrrp-group 100 {  
        virtual-address 192.168.1.1;  
        no-preempt;  
      }  
    }  
  }  
}
```

A. 1

B. 100

C. 110

D. 255

Answer: B

9. Which two statements describe the difference between JUNOS software with enhanced services and a traditional router? (Choose two.)

A. JUNOS software with enhanced services supports NAT and PAT; a traditional router does not support NAT or PAT.

B. JUNOS software with enhanced services does not forward traffic by default; a traditional router forwards traffic by default.

C. JUNOS software with enhanced services uses session-based forwarding; a traditional router uses packet-based forwarding.

D. JUNOS software with enhanced services performs route lookup for every packet; a traditional router performs route lookup only for the first packet.

Answer: BC

10. Which two statements describe the difference between JUNOS software with enhanced services and a traditional router? (Choose two.)

A. JUNOS software with enhanced services supports NAT and PAT; a traditional router does not support NAT or PAT.

B. JUNOS software with enhanced services secures traffic by default; a traditional router does not secure traffic by default.

C. JUNOS software with enhanced services uses session-based forwarding; a traditional router uses packet-based forwarding.

D. JUNOS software with enhanced services separates broadcast domains; a traditional router does not separate broadcast domains.

Answer: BC

11. A traditional router is better suited than a firewall device for which function?

A. VPN establishment

- B. packet-based forwarding
- C. stateful packet processing
- D. network address translation

Answer: B

12. Which three functions are provided by JUNOS software with enhanced services? (Choose three.)

- A. VPN establishment
- B. stateful ARP lookups
- C. transparent mode operation
- D. network address translation
- E. inspection of packets at higher levels (Layer 4 and above)

Answer: ADE

13. Which two are components of the enhanced services software architecture? (Choose two.)

- A. Linux kernel
- B. routing protocol daemon
- C. session-based forwarding module
- D. separate routing and security planes

Answer: BC

14. Which two functions of JUNOS software with enhanced services are handled by the real-time domain?

(Choose two.)

- A. NAT
- B. OSPF
- C. SNMP
- D. SCREEN options

Answer: AD

15. Host A opens a Telnet connection to Host B. Host A then opens another Telnet connection to Host B. These connections are the only communication between Host A and Host B. The security policy

configuration permits both connections.

How many sessions exist between Host A and Host B?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: B

16. Host A opens a Telnet connection to Host B. Host A then opens another Telnet connection to Host B. These connections are the only communication between Host A and Host B. The security policy configuration permits both connections.

How many flows exist between Host A and Host B?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: D

17. What are the common elements that JUNOS software with enhanced services uses for a flow's first and subsequent packets?

- A. zones, policy, service ALGs, and NAT
- B. route, policy, NAT, and SCREEN options
- C. NAT, SCREEN options, and service ALGs
- D. fast-path processing, route, NAT, and service ALGs

Answer: C

18. Which two statements about the JUNOS software with enhanced services packet handling are correct? (Choose two.)

- A. JUNOS software with enhanced services applies service ALGs only for the first packet of a flow.
- B. JUNOS software with enhanced services uses fast-path processing for the first packet of a flow only.

C. JUNOS software with enhanced services performs route and policy lookup only for the first packet of a flow.

D. JUNOS software with enhanced services applies SCREEN options for both first and consecutive packets of a flow.

Answer: CD

19. In JUNOS software with enhanced services, which three packet elements are inspected to determine if a session already exists? (Choose three.)

A. IP protocol

B. IP time-to-live

C. source and destination IP address

D. source and destination MAC address

E. source and destination TCP/UDP port

Answer: ACE

20. Click the Exhibit button.

In the exhibit, which packet type would match the session in the table entry?

```
user@host> show security flow session
```

```
Session ID: 1495, Policy name: default-permit/7, Timeout: 1778
```

```
In: 172.19.51.162/52071 --> 10.1.10.10/23;tcp, If: ge-0/0/0.0
```

```
Out: 10.1.10.10/23 --> 172.19.51.162/52071;tcp, If: ge-0/0/3.0
```

A. ESP packet from 172.19.51.162 to 10.1.10.10

B. ICMP packet from 172.19.51.162 to 10.1.10.10

C. HTTP packet from 172.19.51.162 to 10.1.10.10

D. Telnet packet from 172.19.51.162 to 10.1.10.10

Answer: D

21. By default, which condition would cause a session to be removed from the session table?

A. Route entry for the session changed.

B. Security policy for the session changed.

- C. The ARP table entry for the source IP timed out.
- D. No traffic matched the session during the application timeout period.

Answer: D

22. What is the default session timeout for UDP sessions?

- A. 30 seconds
- B. 1 minute
- C. 5 minutes
- D. 30 minutes

Answer: B

23. Which command determines if snmpd is running?

- A. user@host> show system cpu | match snmpd
- B. user@host> show system log | match snmpd
- C. user@host> show system snmp | match snmpd
- D. user@host> show system processes | match snmpd

Answer: D

24. Click the Exhibit button.

In the exhibit, what is the purpose of this OSPF configuration?

```
[edit protocols ospf]
```

```
user@host# show traceoptions
```

```
file debugOSPF;
```

```
flag hello send;
```

```
flag lsa-update;
```

- A. The router sends the file debugOSPF (containing hellos sent and LSA updates) to the syslog server.
- B. The router traces both OSPF hellos sent and LSA updates, and stores the results in the debugOSPF file.
- C. The router traces both OSPF hellos sent and LSA updates, and sends the results to the syslog process with the debugOSPF facility.
- D. The router traces all OSPF operations, stores the results in the debugOSPF file, and marks both hellos

sent and LSA updates in the file with a special flag.

Answer: B

25. You want to enable SSH and Telnet access to the router's CLI.

Under which configuration hierarchy would you enable these protocols?

- A. [edit system cli]
- B. [edit security cli]
- C. [edit system services]
- D. [edit security services]

Answer: C

26. Which two system services are enabled in the JUNOS software with enhanced services factory-default configuration file? (Choose two.)

- A. SSH
- B. Telnet
- C. HTTP
- D. HTTPS

Answer: AC

27. Which configuration will allow users to authenticate using a local account only when the RADIUS server is unreachable?

A. [edit security]

```
user@host# show auth-order  
auth-order radius;
```

B. [edit security]

```
user@host# show auth-order  
auth-order [ radius password ];
```

C. [edit system]

```
user@host# show authentication-order  
authentication-order radius;
```

D. [edit system]

Answer: C

28. Which three methods are supported for authenticating user access to the command line interface (CLI)?

(Choose three.)

A. LDAP

B. RADIUS

C. TACACS+

D. local database

E. Active Directory

Answer: BCD

29. Click the Exhibit button.

In the exhibit, which two CLI commands allow you to monitor DHCP address conflicts? (Choose two.)

[edit system services dhcp]

```
user@router# show
```

```
traceoptions {
```

```
    level all;
```

```
    flag conflict;
```

```
}
```

```
pool 10.210.11.176/28 {
```

```
    address-range low 10.210.11.186 high 10.210.11.189;
```

```
    router {
```

```
        10.210.11.190;
```

```
    }
```

```
}
```

A. show log dhcpd

B. show log conflicts

C. show system services dhcp conflict

D. show system services dhcp binding

Answer: AC

30. You are configuring a DHCP pool at the [edit system services DHCP pool 10.3.3.0/24] hierarchy.

Which configuration statement will cause the DHCP server to tell the clients to use 10.3.3.1 as their default gateway?

A. router {

 10.3.3.1;

}

B. gateway {

 10.3.3.1;

}

C. next-router {

 10.3.3.1;

}

D. default-gateway {

 10.3.3.1;

}

Answer: A

Visualexams.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially Adobe, Apple, Citrix, Comptia, EMC, HP, HuaWei, LPI, Nortel, Oracle, SUN, Vmware and so on. And help you pass any IT Certification exams at the first try.

Web site: <http://www.visualexams.com>

You can reach us at any of the email addresses listed below.

E-Mail: [visualexams \(at\) hotmail.Com](mailto:visualexams@hotmail.com)