

Exam : IBM 000-735

**Title : DB2 9.5 SQL Procedure
Developer**

Version : Demo

Important Note, Please Read Carefully

Other VisualExams products

[All visual exams IT Exam Products](#)

Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[visual exams Testing Engine](#)

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at VisualExams and update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to <http://www.visual exams.com/>
2. Log in the **User Center**
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you spot a possible improvement then please let us know. We always interested in improving product quality.

Feedback should be send to Visual exams@hotmail.com. You should include the following: Exam number, version, page number, question number, and your login Account.

Our experts will answer your mail promptly.

Explanations

This product does not include explanations at the moment. If you are interested in providing explanations for this exam, please contact Visual exams@hotmail.com.

Features

- Comprehensive questions with complete details
- Instant Downloadable in PDF form.
- Verified Answers Researched by Industry Experts
- Questions accompanied by exhibits.
- Drag and Drop questions as experienced in the Actual Exams.
- These questions and answers are backed by our GUARANTEE.
- Questions updated on regular basis.
- Like actual certification exams our product is in multiple-choice questions (MCQs)

Commitment to Your Success: At VisualTestExam.com, we are committed to you ongoing success. Our exams and questions are constantly being updated and compared to industry standards.

Want to earn a Microsoft certification like MCSE, MCSE 2003, CCNA, CCNP? Thinking about getting an A+ or CCSP?

A, CCSP or Network+ Certification with less effort and time. You will be astonished at the theoretical and practical knowledge you will acquire in such a short period of time using our Certification Training Products. Our Study material will enable you to pass your Microsoft, Your Cisco and any other certification on the very first attempt.

Guarantee

Visual Exams provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if somehow you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

1. Given the statement shown below:

```
SELECT ROW CHANGE TOKEN FOR dept, RID_BIT (dept)
FROM dept WHERE deptno = 'A00' WITH UR
```

Which two statements are true? (Choose two.)

- A. The statement is selecting two columns from DEPT table.
- B. The statement will allow the latest ROW CHANGE TOKEN value to be returned.
- C. The statement will allow the earliest ROW CHANGE TOKEN value to be returned.
- D. The statement will return a TIMESTAMP value.
- E. The statement uses optimistic locking.

Answer: BE

2. Which CREATE PROCEDURE statement option should be used if you plan on issuing a DECLARE GLOBAL TEMPORARY TABLE statement from within the SQL procedure body?

- A. CONTAINS SQL
- B. READS SQL DATA
- C. MODIFIES SQL DATA
- D. LANGUAGE SQL

Answer: C

3. Click the Exhibit button.

```
CREATE PROCEDURE testproc( IN i1 INT, INOUT i3 INT)
SPECIFIC testproc
BEGIN
SET i3 = i1;
END

CREATE PROCEDURE testproc( IN i1 INT, INOUT i2 INT, INOUT i3 INT)
SPECIFIC testp
BEGIN
SET i3 = i1 * i2;
END
```

Given that the statements in the exhibits have executed successfully, which solution contains the complete set of

commands that could be used to drop both procedures in the order presented?

- A. DROP PROCEDURE testp;
DROP PROCEDURE testp;
- B. DROP PROCEDURE testp;

DROP PROCEDURE testproc;

C. DROP SPECIFIC PROCEDURE testproc;

DROP PROCEDURE testproc;

D. DROP PROCEDURE testproc(INT);

DROP PROCEDURE testproc(INT);

Answer: C

4. Click the Exhibit button.

```
CREATE FUNCTION sum(a INT, b INT)
```

```
RETURNS INTEGER
```

```
SPECIFIC sum_of_2
```

```
RETURN a + b;
```

```
CREATE FUNCTION sum(a INT, b INT, c INT)
```

```
RETURNS INTEGER
```

```
SPECIFIC sum_of_3
```

```
RETURN a + b + c;
```

Given the two functions in the exhibit, what is the correct command to invoke the function which calculates the

sum of two numbers from an SQL procedure?

A. SELECT sum_of_2 FROM table1;

B. SELECT sum(2,4,?);

C. SET res_sum = sum(2,6);

D. CALL sum(?,?,?);

Answer: C

5. Given the statements shown below:

```
DECLARE c_dept CURSOR WITH HOLD FOR
```

```
SELECT * FROM dept;
```

```
OPEN c_dept;
```

Which two conditions are true? (Choose two.)

A. C_DEPT will remain open after a ROLLBACK.

B. C_DEPT will remain open after a COMMIT.

C. C_DEPT will be returned to the caller of the routine.

D. C_DEPT will be positioned before the next logical row.

E. All locks held by C_DEPT will be released after a COMMIT.

Answer: BD

6. Given the SQL statement shown below:

```
DECLARE test CURSOR FOR  
SELECT hiredate  
FROM employee  
FOR UPDATE;
```

Which statement correctly describes the cursor that is created?

- A. The cursor will be considered a read-only cursor.
- B. The cursor can only be used to perform positioned updates.
- C. The cursor can only be used to perform positioned deletes.
- D. The cursor can be used to perform positioned updates and deletes.

Answer: D

7. Which statement can be used to define an array of 30 names that have a maximum size of 25 characters each?

- A. CREATE TYPE names AS VARCHAR(25) ARRAY[30];
- B. CREATE ARRAY names[30] VARCHAR(25);
- C. CREATE TYPE names[30] VARCHAR(25);
- D. CREATE ARRAY names AS VARCHAR(25);

Answer: A

8. What will be the initial value of V_MAX in the declaration statement shown below?

```
DECLARE v_max DECIMAL(9,2);
```

- A. 0.0
- B. 2
- C. 9
- D. NULL

Answer: D

9. Which statement should be used to declare an array with at most 10 elements of type INTEGER?

- A. DECLARE sub_total INTEGER[10];
- B. DECLARE sub_total[10] INTEGER;
- C. CREATE TYPE sub_total AS INTEGER[10];
- D. CREATE TYPE sub_total[10] AS INTEGER;

Answer: C

10. What are two valid DECLARE statements in an SQL procedure? (Choose two.)

- A. DECLARE var1 INTEGER;
- B. DECLARE var1 DECIMAL [9];
- C. DECLARE var1 XML;
- D. DECLARE var1 CURRENT DATE;

E. DECLARE var1[10] INTEGER;

Answer: AC

11. Which steps must be followed to return a result set from an SQL procedure?

- A. 1. Create the procedure using the DYNAMIC RESULT SETS clause.
 - 2. Declare the cursor.
 - 3. Open the cursor in the SQL procedure.
 - 4. Close the cursor.
 - 5. Return to the application.
- B. 1. Create the procedure using the DYNAMIC RESULT SETS clause.
 - 2. Declare the cursor using the WITH RETURN clause.
 - 3. Open the cursor in the SQL procedure.
 - 4. Return to the application.
- C. 1. Create the procedure using the WITH RETURN clause.
 - 2. Declare the cursor using the DYNAMIC RESULT SETS clause.
 - 3. Open the cursor in the SQL procedure.
 - 4. Return to the application.
- D. 1. Create the procedure using the WITH RETURN clause.
 - 2. Declare the cursor using the DYNAMIC RESULT SETS clause.
 - 3. Open the cursor in the SQL procedure.
 - 4. Close the cursor.

Answer: B

12. Which statement can be used to declare a variable inside an SQL procedure that can be used to represent a monetary value?

- A. DECLARE v_money MONEY;
- B. DECLARE v_money DOUBLE;
- C. DECLARE v_money DECIMAL(9,2);
- D. DECLARE v_money CURRENCY;

Answer: C

13. What are two valid special registers? (Choose two.)

- A. CURRENT_CLIENT_ACCT
- B. CURRENT_SCHEMA
- C. CURRENT_PATH
- D. CURRENT_DATETIME
- E. CURRENT_PARTITION

Answer: BC

14. Which statement will successfully create an SQL procedure that returns the name of the current month?

A. CREATE PROCEDURE proc.current_month(OUT month VARCHAR(20))

BEGIN

DECLARE today DATE;

SET (today = CURRENT_DATE);

SET month = MONTHNAME(today);

END

B. CREATE PROCEDURE proc.current_month(OUT month VARCHAR(20))

BEGIN

DECLARE today DATE;

SELECT (CURRENT_DATE) INTO today;

SET month = MONTHNAME(today);

END

C. CREATE PROCEDURE proc.current_month(OUT month VARCHAR(20))

BEGIN

DECLARE today DATE;

VALUES (CURRENT_DATE) INTO today;

SET month = MONTHNAME(today);

END

D. CREATE PROCEDURE proc.current_month(OUT month VARCHAR(20))

BEGIN

SET month = MONTHNAME(SELECT (CURRENT_DATE))

END

Answer: C

15. Which statement will assign the schema names "SYSIBM", "SYSFUN", "SYSPROC", and "SYSIBMADM"

to the CURRENT_PATH special register?

A. SET PATH = SYSTEM PATH

B. SET CURRENT_PATH = DEFAULT

C. SET PATH = SYSTEM DEFAULT

D. RESET CURRENT PATH

Answer: A

16. Given the variable declaration shown below:

DECLARE v_mydate DATE;

Which statement will assign a value to the variable V_MYDATE?

- A. VALUES CURRENT TIME INTO v_mydate;
- B. VALUES CURRENT TIMESTAMP INTO v_mydate;
- C. SELECT CURRENT TIMESTAMP INTO v_mydate FROM SYSIBM.SYSDUMMY1;
- D. SELECT CURRENT DATE INTO v_mydate FROM SYSIBM.SYSDUMMY1;

Answer: D

17. Given the variable declaration shown below:

```
DECLARE v_mytime TIME;
```

Which statement will assign a value to the variable named V_MYTIME?

- A. SET v_mytime = TIME;
- B. VALUES CURRENT TIME INTO v_mytime;
- C. VALUES CURRENT TIMESTAMP INTO v_mytime;
- D. SET v_mytime = DATE;

Answer: B

18. Which statement will change the value of a special register?

- A. UPDATE SPECIAL REGISTER TIME = 12:30:00
- B. UPDATE SPECIAL REGISTER SCHEMA = 'DB2ADMIN'
- C. SET CURRENT TIME = 12:30:00
- D. SET CURRENT SCHEMA = 'DB2ADMIN'

Answer: D

19. What demonstrates the correct syntax for assigning three rows to the EMPNO, FIRSTNAME, and LASTNAME columns of a table named EMPLOYEE?

- A. INSERT INTO employee (empno, firstname, lastname)
VALUES (100, 200, 300, 'John', 'Jane', 'Paul', 'Doe', 'Smith', 'Jones')
- B. INSERT INTO employee (empno, firstname, lastname)
VALUES (100, 'John', 'Doe'), (200, 'Jane', 'Smith'), (300, 'Paul', 'Jones')
- C. SET (empno, firstname, lastname)
VALUES (100, 200, 300, 'John', 'Jane', 'Paul', 'Doe', 'Smith', 'Jones')
FOR employee
- D. SET (empno, firstname, lastname)
VALUES (100, 'John', 'Doe'), (200, 'Jane', 'Smith'), (300, 'Paul', 'Jones')
FOR employee

Answer: B

20. Click the Exhibit button.

Given the following SQL procedure:

```
CREATE PROCEDURE test1 (IN someid CHAR(3), OUT status INT)
BEGIN
DECLARE SQLCODE INTEGER DEFAULT 0;
DECLARE count INTEGER DEFAULT 0;
SET status = 0;
IF (LENGTH(someid) < 3) THEN
RETURN -3;
GOTO exit;
ELSE
SELECT COUNT(deptno) INTO count FROM dept WHERE admrdept=someid;
IF(SQLCODE<>0) THEN
RETURN -1;
ELSE
SET status = COUNT;
RETURN 0;
END IF;
END IF;
exit:
RETURN -2;
END
```

Where the DEPT table consists of:

```
DEPTNO DEPTNAME
MGRNO ADMRDEPT
```

```
-----
-----
```

```
A00 SPIFFY COMPUTER SERVICE DIV. 000010 A00
B01 PLANNING 000020 A00
C01 INFORMATION CENTER 000030 A00
D01 DEVELOPMENT CENTER - A00
D11 MANUFACTURING SYSTEMS 000060 D01
D21 ADMINISTRATION SYSTEMS 000070 D01
```

If the procedure TEST1 shown in the exhibit is called with the value 'A00' specified for the SOMEID parameter,
what is the expected return code?

- A. 0
- B. -1
- C. -2
- D. -3

Answer: A

Visualexams.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially Adobe, Apple, Citrix, Comptia, EMC, HP, HuaWei, LPI, Nortel, Oracle, SUN, Vmware and so on. And help you pass any IT Certification exams at the first try.

Web site: <http://www.visualexams.com>

You can reach us at any of the email addresses listed below.

E-Mail: [visualexams \(at\) hotmail.Com](mailto:visualexams@hotmail.com)