

Exam : Cisco 642-426

**Title : Troubleshooting Unified
Communications (TUC)**

Version : Demo

Important Note, Please Read Carefully

Other VisualExams products

[All visual exams IT Exam Products](#)

Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[visual exams Testing Engine](#)

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at VisualExams and update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to <http://www.visual exams.com/>
2. Log in the **User Center**
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you spot a possible improvement then please let us know. We always interested in improving product quality.

Feedback should be send to Visual exams@hotmail.com. You should include the following: Exam number, version, page number, question number, and your login Account.

Our experts will answer your mail promptly.

Explanations

This product does not include explanations at the moment. If you are interested in providing explanations for this exam, please contact Visual exams@hotmail.com.

Features

- Comprehensive questions with complete details
- Instant Downloadable in PDF form.
- Verified Answers Researched by Industry Experts
- Questions accompanied by exhibits.
- Drag and Drop questions as experienced in the Actual Exams.
- These questions and answers are backed by our GUARANTEE.
- Questions updated on regular basis.
- Like actual certification exams our product is in multiple-choice questions (MCQs)

Commitment to Your Success: At VisualTestExam.com, we are committed to you ongoing success. Our exams and questions are constantly being updated and compared to industry standards.

Want to earn a Microsoft certification like MCSE, MCSE 2003, CCNA, CCNP? Thinking about getting an A+ or CCSP?

A, CCSP or Network+ Certification with less effort and time. You will be astonished at the theoretical and practical knowledge you will acquire in such a short period of time using our Certification Training Products. Our Study material will enable you to pass your Microsoft, Your Cisco and any other certification on the very first attempt.

Guarantee

VisualExams provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if somehow you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

1. Which three capabilities cannot be configured if the default dial peer is matched? (Choose three.)

- A. disable DID
- B. invoke a Tcl application
- C. enable dtmf-relay
- D. disable VAD
- E. set codec to G.711
- F. set preference to 1

Answer: BCD

2. Cisco CallManager 5.0 has just been deployed in two locations across a wide-area link. A distributed model with an intercluster trunk has been used. When you call an IP phone at the remote site the phone rings, but as soon as the other person picks up the phone, the call is dropped.

Where should you look to diagnose the problem?

- A. locations
- B. system parameters
- C. media resource group
- D. Cisco Unified CallManager group
- E. Cisco Unified CallManager CTI traces

Answer: C

3. Your company has a centralized IP Telephony system and branch offices in eight major cities. The manager of your company help desk recently published local access numbers for external customers to reduce the costs associated with your company's toll-free 800 service. However, when customers call the new local numbers they hear a reorder tone instead of your centralized IVR.

What is the best solution to this issue?

- A. Deploy transcoders at each remote location.
- B. Deploy transcoders at the central location.
- C. Deploy Cisco Unified IP IVRs at each remote location.
- D. Increase the number of ports in the centralized IVR.

Answer: B

4. You have received a trouble ticket stating that an executive with an account at a bank cannot retrieve account information by phone. When the executive calls the bank, the call is answered and the executive is prompted to enter the account code. However, the bank does not seem to recognize the DTMF tones and disconnects the call.

What is a possible solution to this problem?

- A. Configure the voice rtp send-recv command in the gateway.
- B. Set the Cisco Unified CallManager service parameter ToSendH225UserInfoMsg to True.
- C. Configure the progress_ind setup enable 3 command under the gateway VoIP dial peer.
- D. Configure the progress_ind alert enable 8 command under the gateway POTS dial peer.

Answer: A

5. Partition A contains four route patterns. The calling search space assigned to Device B contains only Partition A. When Device B dials 1136, which of the route patterns will be selected?

- A. 1[14]XX
- B. 11X!
- C. 1[^2-8]XX
- D. 1[1-4]XX

Answer: B

6. You have received a trouble ticket that says users are experiencing echo when their calls go out an H.323 gateway. You have tested the gateway and have modified the configuration so that the ERL level is now 6 dB. You also increased the echo-cancel coverage value to 64 ms.

How will this impact voice quality after this change?

- A. The increase in echo-cancel coverage will have no effect on voice quality.
- B. The ends of sentences will be chopped by the echo canceller.
- C. Consonants will be chopped by the echo canceller.
- D. The echo canceller will take 2-3 seconds longer to converge at the beginning of the call.

Answer: D

7. Your company has recently installed a Cisco Unified CallManager cluster and a Cisco Unity voice mail platform. You have received complaints from users that the red MWI light never comes on, even when there are new voice-mail messages in the voice mailboxes. Which two steps must be taken to resolve this issue? (Choose two.)

- A. Verify, using the Port Usage tool, that the ports dedicated to MWI on/off are not over-utilized. Add another dedicated port if the current port is over-utilized.
- B. Verify that the MWI on/off numbers are unique within the Cisco Unified CallManager cluster dial plan. If they are not, change the MWI on/off numbers in the Cisco Unified CallManager cluster so they are unique and configure the Cisco Unity server so they match.
- C. Ensure that the number of ports licensed for the Cisco Unity server is greater than or equal to the number of configured ports.
- D. Verify that the calls are being sent to the correct ports on the Cisco Unity server. If they are being sent to the incorrect ones by the Cisco Unified CallManager cluster, correct the values in the cluster.
- E. Verify that the same numbers are being used for MWI on/off in both the Cisco Unified CallManager cluster and Cisco Unity server. If they are different, change the Cisco Unity server to match the Cisco Unified CallManager cluster.

Answer: BE

8. A company has migrated to a Cisco Unified CallManager IP Telephony system and is now replacing the existing voice-mail system with a Cisco Unity voice-mail system. A small group of users has been established to test the new voice mail system. The users were able to initialize their mailboxes and record greetings; however, during testing the callers were sometimes unable to leave voice-mail messages for Cisco Unity users.

Which two issues could cause this problem? (Choose two.)

- A. There is a mismatch in the number of ports configured in Cisco Unified CallManager and Cisco Unity.
- B. There is a mismatch in the MWI on/off numbers configured in Cisco Unified CallManager and Cisco Unity.
- C. The call transfer call handlers are not configured correctly.
- D. Cisco Unity is in a G.729 region and has not been configured to support G.729.
- E. The hunt group is hunting to Cisco Unity ports that have been dedicated for message notification.

Answer: AE

9. Which Cisco Unity troubleshooting tool would be used to diagnose problems with skinny and MWI messages?

- A. Cisco Unity Performance Information and Diagnostics
- B. Unity Diagnostic Tool
- C. Integration Monitor
- D. SysCheck

Answer: B

10. The following is a partial configuration of an access layer switch:

```
mls qos map cos-dscp 0 8 12 16 28 32 40 48
```

```
mls qos
```

```
!
```

Voice bearer traffic will be set to use which per-hop behavior?

- A. EF
- B. CS4
- C. AF32
- D. AF12
- E. BE

Answer: B

Visualexams.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially Adobe, Apple, Citrix, Comptia, EMC, HP, HuaWei, LPI, Nortel, Oracle, SUN, Vmware and so on. And help you pass any IT Certification exams at the first try.

Web site: <http://www.visualexams.com>

You can reach us at any of the email addresses listed below.

E-Mail: [visualexams \(at\) hotmail.Com](mailto:visualexams@hotmail.com)